



 Basic Training Equipment

FOR  
BETTER  
PERFORMANCE

**LIVEPRO**

# Brand message

Today's fitness landscape is constantly evolving, with people returning to the gym in search of a variety of training experiences. The demand for strength and functional training continues to rise. There is a growing recognition that strength is the cornerstone of overall health, well-being, and longevity, and the key to better performance in sports and life.

In this day and age, fitness equipment holds a huge opportunity. A unique training space can be carved out with personalized, diverse-focused solutions. It also takes into account the unique needs of users and the unique design and development of the facilities to help improve performance and results.

At Livepro, we draw on more than 10 years of training expertise to design products that make you stronger. We also provide support for a variety of facilities to create the best possible training environment.

Our mission is to provide athletes with the best tools to help them create efficient training spaces that meet their needs and goals. Recently, we proudly introduced the Everset 25 Strength Training System, which combines what you've come to expect from a Livepro product: high quality, exquisite craftsmanship and superior performance. We pay attention to every detail to create an exceptional fitness experience, and the modular design of the system makes it highly adaptable—a solution that can evolve with our customers' needs.

This is our commitment and our vision for the future. Thank you for joining us in our pursuit of excellence and creating a stronger tomorrow together.

Livepro provides you with solid support on your training path and helps you show your better self.

# Company introduction

Livepro is located in Nantong, Jiangsu Province, with offices in Shanghai, Hamburg, Germany, and Los Angeles, USA. It has a 36,000 square meter factory area, a 10,000 square meter warehouse and a 3,000 square meter exhibition hall and showroom. Our large warehouse space allows us to hold more products in stock, resulting in faster delivery times for our customers. A fully functional product showroom showcasing many pieces from our Power Collection. In addition, this year we will be devoting a new 3,000-square-meter sports performance and training space. In addition to a lot of basic training equipment, there are also digital training equipment, equipped with force measurement systems, speed and agility systems. We also have a large seminar room where we can host training and seminars. If you would like to visit any of our showrooms, please let us know and we will be happy to arrange a visit for you.

 Germany - Hamburg Office



Showrooms  
**3,000** m<sup>2</sup>



Factory  
**36,000** m<sup>2</sup>



Founded in  
**2004**  
Different products available  
**1,000** +

Team members  
**100** +  
Global customers  
**1,000** +

Selling to countries  
**100** +  
Partner clubs and studios  
**3,000** +

Warehouse  
**10,000** m<sup>2</sup>



Athletic performance display and training space  
**3,000** m<sup>2</sup>



# Company history

Founded in 2004, LIVEUP SPORTS is now an industry leading company, with a focus on fitness, rehab and sports products. Our company is dedicated to designing the best products, putting out new design and refreshing marketing campaigns. For 20 years, we have been present in 100 countries around the world. Through continuous design and innovation, we are now able to provide high-quality fitness equipment, professional display programs, and perfect coach training, and ultimately help customers create a good fitness experience space and great benefits.

## Founding stage

### 2004-2007

- 2004: LIVEUP SPORTS was founded, initially focusing on the sales of sporting goods.
- 2005: Launched the innovative material dumbbell, which quickly gained acceptance in the Southeast Asian market.
- 2007: The company expands in size, increases the number of employees, and strengthens the expansion of the European and American markets.

## Focus on fitness and branding

### 2008-2014

- 2008: The company launched a comprehensive range of fitness equipment for the personal and home training markets.
- 2009: The company began to implement an online sales strategy and establish an e-commerce platform.
- 2010: Launched a brand of personal training equipment Liveup, targeting the home and personal fitness market.

## Innovative branding and diversification

### 2015-2019

- 2015: Launched Livepro, a professional training brand for athletes and fitness enthusiasts.
- 2018: The company received several industry awards, confirming its leadership in the fitness equipment industry.
- 2019: Launch of GAIN[S], providing space storage and training options.

## Continuous expansion and social responsibility

### 2019-2022

- 2019: Expanded product line to include a full range of equipment and equipment from personal fitness, static stretching, professional training to space solutions.
- 2020: Establishment of a European marketing company in Hamburg and a network of partners in 100+ countries around the world to strengthen supply chain management.
- 2021: Launch of a sustainability program dedicated to environmentally friendly production and social responsibility projects.
- 2022: Launch of BLOOM, dedicated to improving physical and mental health through yoga, Pilates, and static training.
- 2022: 36,000 square meters of standardized production base.

## Looking to the future


### 2023 and beyond

- 2023: 3,000 square meters of sports performance and performance will be completed training Experience Center.
- 2023: Rebranding Liveup with an emphasis on innovation and quality.
- Future Plans: Plans to further expand its global market.
- market share, while strengthening R&D investment to promote health innovation and development in the industry.

# Our working process

## 01/Product research and development


At Livepro, we develop our products from scratch. Our product development team turns ideas into drawings and then searches for the most suitable raw materials, production techniques, and manufacturing facilities. Before we start mass production of any designed product, we prototype and test it to ensure that it is reliable, durable, and safe. In addition, some of our products are tested and verified by NSCC, SGS, TUV-SUD, and other testing laboratories.®



## 03/ Quality inspection

### We can't just trust design

Although our products must go through a rigorous development process, we randomly inspect the main features of any product and match it with our drawings and datasheets to ensure compliance with our standards – from raw materials to finished products and their packaging.



## 02/ Manufacturing

Once we finalize a design, we move on to our production process. Heavy training tools need to be manufactured through high-quality processes such as laser cutting and robotic welding. We have our own workshop to meet the needs of our customers, including custom sizes or colors. We have a QC team who is responsible for all our mass production to ensure that every batch of products follows our high standards.

## 04/ Field test

Training tools need to be reliable! We provide equipment for state-of-the-art venues and professional athletes to ensure that it is truly exposed to intensive use. Feedback gathered from competitions and athletes is a surefire way to improve your product. Our goal is to provide reliable work to our customers Tool. Serving more than 3,000 training venues worldwide each year, this gives us the opportunity to put our equipment on the hands of more than 100,000 athletes.

## 05/ Order warehousing

"Just-in-time delivery" is our motto!

The business is developing faster and faster, and we want to become a trusted one-stop procurement supplier for our customers. The Livepro product line contains more than 500 items and requires sufficient inventory on a daily basis. The China headquarters has a 1,0000 square meter warehouse in order to be able to quickly ship goods to customers of any size – 1 day for regular products and 15 days for customized products. We care about order processing. Our warehouse team receives confirmed orders on a daily basis. They then prepare all the packaging and use a computerized barcode and RFID order processing system to ensure that the order is 100% ordered. When the quantity of goods is large, we pack them on a pallet to reduce the potential damage when the goods are delivered.

## 06/ Delivery and installation

We have been a reliable partner to more than 3,000 fitness training spaces. We can ship our products all over the country, and we can also provide installation assistance services.

## 07/ After-sales service


We are committed to being a partnership with our customers.

At Livepro, we care about our customers' needs, even after they have made a purchase. We can rely on a dedicated after-sales service team to answer all customer inquiries on a daily basis. We will never break our promise on the warranty of our products. Due to our large inventory of items and spare parts, we are able to immediately replace and repair any faulty products. In addition, after-sales service gives us the opportunity to collect any defects on any product and feed it back to our R&D department so that it can be corrected on the subsequent product.

# Products and solutions

Livepro is committed to providing you with comprehensive fitness solutions. Whether you're a fitness beginner or a professional athlete, our products have you covered.


## Product matrix



## Solution

The Everest25 is an all-in-one solution in the smallest of spaces.

The all-new Everest 25 Peak Series offers a variety of training options in the smallest of spaces. Whether it's a fitness studio, competitive sports, sports rehabilitation, a hotel gym or your own home gym. With the numerous accessories of the E25 series, the power rack can be converted into a multi-purpose station that you can use for a variety of effective trainings.



Hangzhou - New Hall of Physical Potential

# NEXT GENERATION

Welcome to the world of training with Livepro. Here we're not just talking about fitness equipment, we're exploring a whole new way of life. A way to combine technology, innovation and human potential. The value of technology and professionalism is being widely recognized by the general public, and the future prospects of the sports and fitness industry are bright.

We are working with the next generation of young athletes and experts and coaches to shape the future through different avenues of creativity and innovation. At Livepro, we have adopted the concept of practical, comprehensive, and pioneering equipment construction. This not only reflects our persistent pursuit of innovation, but also reflects our deep understanding of the needs of users. Our equipment is designed to simulate and enhance actions in everyday life, thereby improving overall physical fitness and athletic performance. As "Michael Boyle", a pioneer in functional training, points out: "The key is to create training models that can find direct application in real life."

In this book, we'll take you on an in-depth look at Livepro's functional training devices and explore how you can use these tools to boost your training results. Whether you're a fitness beginner or an experienced athlete. We'll share training tips, science, and real-life stories to help you stay on your fitness journey.

# CONTENTS

|                                 |    |
|---------------------------------|----|
| <b>BASIC TRAINING EQUIPMENT</b> | 12 |
| Weight bench                    | 14 |
| Dumbbell and kettlebell         | 20 |
| Plate and bar                   | 28 |
| Functional training             | 44 |
| Recovery and regeneration       | 60 |
| Team and group training         | 64 |
| Personal training accessories   | 72 |
| Boxing gear                     | 82 |
| Storage rack                    | 88 |
| Storage system [GAINS]          | 96 |



|                        |     |
|------------------------|-----|
| <b>FLOORING SYSTEM</b> | 112 |
| Rubber floor           | 116 |
| PVC floor              | 117 |
| Turf                   | 117 |
| Weightlifting platform | 118 |



|                                 |     |
|---------------------------------|-----|
| <b>OUR BUSINESS AND SERVICE</b> | 130 |
| Our service                     | 130 |
| Business partner                | 134 |
| Project presentation            | 136 |



# Livepro

# Basic training equipment

|                                     |    |
|-------------------------------------|----|
| Weight bench .....                  | 14 |
| Dumbbell and kettlebell .....       | 20 |
| Plate and bar .....                 | 28 |
| Functional training .....           | 44 |
| Recovery and regeneration .....     | 60 |
| Team and group training .....       | 64 |
| Personal training accessories ..... | 72 |
| Boxing gear .....                   | 82 |
| Storage rack .....                  | 88 |
| Storage system [GAINS] .....        | 96 |



# Weight bench



## The essence of future bench racks: Fully adjustable support surfaces.

The modern training bench is no longer just a traditional padded stool. The market now offers a variety of options such as seal row benches, hip/thrust boxes, GHDs (Glute Ham Developers), and more. Essentially, these are movable support surfaces designed to provide a comfortable height and angle while meeting diverse needs for adjustability, reinforcement, or assistance. We categorize this series as "weight bench ."

# Single leg stand



- The integrated single-leg squat roll pad quickly adjusts to six heights in the middle of the precision-cut extra-thick metal plate.
- The two side brackets have reinforcement and armrest design.

LP6085



| Spec           |                    |
|----------------|--------------------|
| Material       | Q235-A             |
| Surface        | Powder coating     |
| Size           | 503*658*592mm      |
| Protective pad | PU                 |
| Includes       | Single leg stand*1 |
| Weight         | 30kg               |



# Single leg squat

LP6070

- Made of high-quality steel pipe.
- There are a total of 13 height adjustment holes.
- Comfortable foot rest.

| Spec                         |               |
|------------------------------|---------------|
| Material                     | Steel         |
| Weight                       | 14.5kg        |
| Size                         | 530*580*580mm |
| Width of the bottom beam     | 130mm         |
| Thickness of the bottom beam | 8mm           |
| Tube size                    | 50*50*2mm     |
| Adjustment holes             | 13 holes      |



# Weight flat bench

- Dimensions comply with IPF standards, simulating competition conditions during training.
- The E25 series features oversized branding plates, adding weight while maintaining facility design uniformity.

LP6080



| Spec           |                |
|----------------|----------------|
| Material       | Q235           |
| Surface        | Powder coating |
| Size           | 1291*604*440mm |
| Protective pad | 50mm Foam      |
| Includes       | Flat bench*1   |
| Weight         | 43.3kg         |

# Flat bench

LP6079

- A simple flat stool with wheels that can be stored upright.

| Spec     |                |                |              |
|----------|----------------|----------------|--------------|
| Material | Q235           | Protective pad | PU           |
| Surface  | Powder coating | Includes       | Flat bench*1 |
| Size     | 1250*315*455mm | Weight         | 20kg         |



# Adjustable bench

LP6061

- This multi-functional exercise bench can provide you with a variety of exercises. High-quality fitness chair can guarantee your safety. Mechanical support, stable and safe, provide more stability and safety for your sports.Comprehensive equipment for full body exercise.It is very suitable for biceps, bench press, shoulder press, abdominal muscle training, leg exercise and so on.

| Spec      |                                      |                                   |                             |
|-----------|--------------------------------------|-----------------------------------|-----------------------------|
| Material  | Steel, Recycled cotton<br>Sponge, PU | Adjustable height of the backrest | 450-1180mm<br>Angle: 10-90° |
| Weight    | 36kg                                 | Adjustable height of seat cushion | 440-600mm<br>Angle: 0-8-16° |
| Flat size | 1530*650*460-1370mm                  |                                   |                             |



# Adjustable bench

NEW

LP6068

- 3 seat positions and 7 backrest positions offer versatile configurations.
- Simply pull the knob and lift the seat until it locks into your desired position.

| Spec               |                               |
|--------------------|-------------------------------|
| Material           | Q235, SUS304                  |
| Surface            | Powder coating<br>Hard chrome |
| Size               | 1280*600*416mm                |
| Plate pin diameter | Ø50mm                         |
| Protective pad     | 50mm Foam                     |
| Includes           | Adjustable bench*1            |
| Weight             | 40kg                          |



# Adjustable bench

LP6078

- 7-level backrest adjustment: Each increment increases by 15° , ranging from 0° (flat) to 85° . The seat pad synchronizes with positions from horizontal to 20° tilt for full ergonomic support.
- Full-length, race-grade rubberized grip: Reinforced for secure handling, anti-slip performance, and bold aesthetics.
- Roll-pin locking mechanism : Seamlessly integrates with power rack systems, delivering competition-grade stability and precision.



| Spec           |                              |
|----------------|------------------------------|
| Material       | Q235-A, SUS304, Polyethylene |
| Surface        | Powder coating, Leather      |
| Size           | 1358*565*445mm               |
| Grip diameter  | Ø32mm                        |
| Protective pad | 5mm polyethylene             |
| Compatibility  | BenchConnect                 |
| Weight         | 60kg                         |




# Angle-adjustable GHD

- Space-saving versatility: Adjustable from 90° to 40° , instantly transforming into a hyperextension bench for on-demand use.
- Optional dual-action swing arms: Unlock modular loading options (e.g., plates, bands) and multi-functional configurations.
- 3D adjustability (front/ rear + height): Engineered to adapt to biomechanical variances across users.



LP6081

| Spec               |                                         |
|--------------------|-----------------------------------------|
| Material           | Q235-A                                  |
| Surface            | Black matte<br>Fine white sand blasting |
| Size               | 1645*1235*932mm                         |
| Plate pin diameter | Ø50mm                                   |
| Protective pad     | 1mm PVC                                 |
| Includes           | GHD*1<br>Swing arm*1                    |
| Weight             | 150kg                                   |



## Reverse hyper GHD

LP6084

- The adjustable leg support arm offers a wide range of motion, with excellent ergonomic adaptability, allowing quick foot pedal adjustment to your desired position.
- The counterweight arm can be used both independently and in parallel.

| Spec               |                                               |                |                      |
|--------------------|-----------------------------------------------|----------------|----------------------|
| Material           | Q235                                          | Protective pad | 115mm Foam           |
| Surface            | Powder coating<br>Stainless steel, Galvanized | Weight         | 260kg                |
| Size               | 1645*1235*932mm                               | Includes       | GHD*1<br>Swing arm*1 |
| Plate pin diameter | Ø50mm                                         |                |                      |



## Pure GHD

LP6083

- Focuses on hip joint training.
- The hydraulic-adjustable foot support arm allows quick and effortless adjustments via a pull-pin mechanism.

| Spec               |                                               |                |                       |
|--------------------|-----------------------------------------------|----------------|-----------------------|
| Material           | Q235                                          | Protective pad | 150mm Foam            |
| Surface            | Powder coating<br>Stainless steel, Galvanized | Weight         | 265kg                 |
| Size               | 1916*1391*961mm                               | Includes       | GHD*1<br>Anchor pin*2 |
| Plate pin diameter | Ø50mm                                         |                |                       |



# Multifunctional stretch trainer

LP8514

- The seat height has 6 gears to adjust. The height range is 450-600mm.
- Comfortable leather seats, increase experience, and the tail is equipped with two pulleys for easy movement.



| Spec           |                   |
|----------------|-------------------|
| Material       | Steel             |
| Surface        | Q235              |
| Land size      | 1500*800mm        |
| Protective pad | PU                |
| Includes       | Stretch trainer*1 |
| Weight         | 49kg              |



## Livepro selectorized rack

LP6004

- This rack is made of Q235 high quality steel that is laser cut with seamless welding technology making it more stable and durable.
- Each piece is exposed to special sandblasting and a chemical cleaning process. Then, it is painted to increase corrosion resistance, thus will not easily rust.
- The hook can be adjusted freely.
- Multiple storage positions.
- The rack has 75x75x3mm pipes, can bear an overall weight of 455kg, and is extremely load bearing.
- This rack comes with a counterweight that can be freely adjusted.

| Spec         |                  |
|--------------|------------------|
| Material     | Steel, PP        |
| Weight       | 455kg            |
| Color        | Black            |
| Tube size    | 75*75*3mm        |
| Product size | 1945*1786*2406mm |

| Contain                                                                                                                                                                                                                                                                                                                                                                                    |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <ul style="list-style-type: none"><li>• 1 pair of safety frames</li><li>• 1 pair of hooks</li><li>• 6 bells hanging rod</li><li>• 2 barbell bar racks</li><li>• 1 set of rowing pedals</li><li>• 1 set of high drop down cushion</li><li>• 1 set of adjustable pull-up frame</li><li>• 2 simple pull handles</li><li>• 2 grip power ball</li><li>• Single side 100KG select iron</li></ul> |  |



# Dumbbell and kettlebell



## Maintenance-free, one-piece solid process

- The solid steel handle is hydraulically pressed with a solid steel head and fully welded for maximum strength.
- The radius of each plug is chamfered on the outside to replace the impact force between the plug and the polyurethane coating for longer impact resistance.

## Display your logo on high-quality dumbbells

- This service not only enhances the personalized character of the equipment, but also enhances the brand image of your facility, making it more professional and unique.

# Classic plate dumbbells



LP8071

- Steel core with stackable urethane-coated plates for adjustable weight. TPU layer provides shock absorption, quietness, and rust-proof protection. Non-slip grip ensures safety during workouts. Modular design saves space, ideal for versatile strength training at home or gym.



| Spec            |                                   |
|-----------------|-----------------------------------|
| Material        | Steel, TPU                        |
| Weight          | 10-100kg                          |
| Handle length   | 140mm                             |
| Tolerance       | ±2%                               |
| Handle diameter | 32mm (10-20kg)<br>34mm (20-100kg) |



Camp series dumbbells



Camp series steel dumbbells

| Name            |                                     |                                     |
|-----------------|-------------------------------------|-------------------------------------|
| Item            | LP8072                              | LP8073                              |
| Material        | Steel, TPU                          | Steel                               |
| Weight          | 2.5-75kg                            | 2.5-75kg                            |
| Handle length   | 140mm                               | 140mm                               |
| Handle diameter | 32mm (2.5-20kg)<br>34mm (22.5-75kg) | 32mm (2.5-20kg)<br>34mm (22.5-75kg) |



| Spec            |                                                 |
|-----------------|-------------------------------------------------|
| Construction    | Solid steel head<br>Polyurethane layer wrapping |
| Weight range    | 2kg-50kg                                        |
| Handle length   | 152mm                                           |
| Tolerance       | ±2%                                             |
| Layer thickness | Up to 8mm                                       |
| Handle diameter | 2-20kg, 32mm diameter<br>22-50kg, 34mm diameter |

## Urethane dumbbells

- Weight accuracy and versatility, high quality polyurethane material, corrosion, heat and wear resistant.
- Handle made of high-strength alloy steel with hard chrome coating, rust resistant.
- Handle is fully pressed into the head and fully welded on the outside for durable construction.

LP8002



## 12-Sided urethane dumbbells

LP8003

- Accuracy and diversity of weight.High quality polyurethane material.
- Made of high strength alloy steel, plated with a durable hard chrome coating. The coating will not peel off or rust.
- The 12 headed ends of the heads prevent rolling.

| Spec          |                                                 |                 |                                                 |
|---------------|-------------------------------------------------|-----------------|-------------------------------------------------|
| Construction  | Solid steel head<br>Polyurethane layer wrapping | Handle diameter | 2-20kg, 32mm diameter<br>22-50kg, 34mm diameter |
| Weight range  | 2kg-50kg                                        | Tolerance       | ±2%                                             |
| Handle length | 143mm                                           | Layer thickness | Up to 12mm                                      |



| Name            | Premium urethane dumbbells       | Premium rubber dumbbells            | Hexagonal rubber dumbbells     |
|-----------------|----------------------------------|-------------------------------------|--------------------------------|
| Item            | LP8000                           | LP8004                              | LP8005                         |
| Structure       | Head: steel<br>Surface: urethane | Head: steel<br>Surface: rubber      | Head: steel<br>Surface: rubber |
| Weight          | 2kg-50kg                         | 2.5kg-50kg                          | 2.5kg-30kg                     |
| Handle length   | 155mm                            | 151mm                               | 133mm                          |
| Handle diameter | 32mm (2-20kg)<br>34mm (22-50kg)  | 32mm (2.5-20kg)<br>34mm (22.5-50kg) | 32.6mm                         |



| Name            | Urethane studio dumbbells        | Colored studio dumbbells     |
|-----------------|----------------------------------|------------------------------|
| Item            | LP8075                           | LP8076                       |
| Structure       | Head: steel<br>Surface: urethane | Inside: iron<br>Surface: PVC |
| Weight          | 1kg-10kg                         | 1kg-5kg                      |
| Handle length   | 162mm                            | 85/85/98/98/104/112mm        |
| Handle diameter | 32mm                             | 26/32/35/38/39/42mm          |

Ball bell

- Sturdy cast iron structure with stable center of gravity.
- Ergonomic handle design for a more secure grip.



| Spec              |                                   |
|-------------------|-----------------------------------|
| Material          | Iron                              |
| Handle diameter   | 32mm (9-18LB)<br>37mm (26-62LB)   |
| Opening size      | 100mm (9-18LB)<br>114mm (26-62LB) |
| Weight            | 9/13/18/26/35/44/53/62 lb         |
| Tolerance         | ±2%                               |
| Surface treatment | Electrostatic powder coating      |

Solid cast iron kettlebell

- The wide base of the kettlebells makes them less prone to shaking when placed
- Integrated molding


| Spec            |                              |                   |                              |
|-----------------|------------------------------|-------------------|------------------------------|
| Material        | Iron                         | Ball diameter     | 100-189mm                    |
| Weight          | 4/6/8/10/12/16/20/24/28/32kg | Height            | 168-282mm                    |
| Handle diameter | 28-37mm                      | Surface treatment | Electrostatic powder coating |



| Spec              |                              |
|-------------------|------------------------------|
| Material          | Cast iron                    |
| Weight            | 8/10/12/16/20/24/28/32kg     |
| Handle diameter   | 33mm                         |
| Ball diameter     | 212mm                        |
| Product height    | 283mm                        |
| Tolerance         | ±2%                          |
| Surface treatment | Electrostatic powder coating |
| Color-coded       | Yes                          |

Cast-iron competition kettlebell

- Black matte powder coating on surface.
- Comfortable, non-slip handle with a good feel and excellent grip.
- Professional competitive kettlebells are color-coded for easy identification and differentiation.



Rubber kettlebell



Steel competition kettlebell

| Name                     |                                 |                                                        |                              |
|--------------------------|---------------------------------|--------------------------------------------------------|------------------------------|
|                          |                                 | Rubber kettlebell                                      | Steel competition kettlebell |
| Item                     | LP8043                          | LP8042                                                 |                              |
| Structure                | Sphere: iron<br>Surface: rubber | Sphere: steel<br>Surface: electrostatic powder coating |                              |
| Weight                   | 4/6/8/10/12/16/20/24/28/32kg    | 4/6/8/10/12/16/20/24/28/32kg                           |                              |
| Handle diameter          | 30mm (4-12kg)<br>33mm (16-32kg) | 33mm                                                   |                              |
| Sphere diameter          | 100-201mm                       | 210mm                                                  |                              |
| Handle surface treatment | Hard chrome                     | Hard chrome                                            |                              |

# 12-Sided urethane barbells

LP8012

- The grip is fully pressed into each head and then fully welded on the outside to achieve the most durable integrity.Construct without leaving any loose or broken space. Each head has been chamfered to eliminate steel and polyurethane.The impact force between materials, in order to achieve longer impact resistance.



| Spec                   |                                                            |
|------------------------|------------------------------------------------------------|
| Structure              | Solid steel at the head<br>Wrapped in a polyurethane layer |
| Weight                 | 10/15/20/25/30kg                                           |
| Grip diameter          | 32.5mm                                                     |
| Grip length            | 892mm                                                      |
| Grip surface treatment | Hard chrome                                                |
| Wrap layer thickness   | Maximum 12mm                                               |
| Tolerance              | ±2%                                                        |

# 12-Sided ez curl urethane barbells

LP8013

- The grip is fully pressed into each head and then fully welded on the outside to achieve the most durable integrity.Construct without leaving any loose or broken space. Each head has been chamfered to eliminate steel and polyurethane.The impact force between materials, in order to achieve longer impact resistance.



| Spec          |                                                            |                        |              |
|---------------|------------------------------------------------------------|------------------------|--------------|
| Structure     | Solid steel at the head<br>Wrapped in a polyurethane layer | Grip length            | 892mm        |
|               |                                                            | Grip surface treatment | Hard chrome  |
| Weight        | 10/15/20/25/30kg                                           | Wrap layer thickness   | Maximum 12mm |
| Grip diameter | 32.5mm                                                     | Tolerance              | ±2%          |



# Urethane barbells

LP8010

- The grip is fully pressed into each head and then fully welded on the outside to achieve the most durable integrity.Construct without leaving any loose or broken space. Each head has been chamfered to eliminate steel and polyurethane.The impact force between materials, in order to achieve longer impact resistance.



| Spec                   |                                                            |
|------------------------|------------------------------------------------------------|
| Structure              | Solid steel at the head<br>Wrapped in a polyurethane layer |
| Weight                 | 10/15/20/25/30kg                                           |
| Grip diameter          | 32.5mm                                                     |
| Grip length            | 892mm                                                      |
| Grip surface treatment | Hard chrome                                                |
| Wrap layer thickness   | Maximum 12mm                                               |
| Tolerance              | ±2%                                                        |

# Ez curl urethane barbells

LP8011

- The grip is fully pressed into each head and then fully welded on the outside to achieve the most durable integrity.Construct without leaving any loose or broken space. Each head has been chamfered to eliminate steel and polyurethane.The impact force between materials, in order to achieve longer impact resistance.



| Spec          |                                                            |                        |              |
|---------------|------------------------------------------------------------|------------------------|--------------|
| Structure     | Solid steel at the head<br>Wrapped in a polyurethane layer | Grip length            | 892mm        |
|               |                                                            | Grip surface treatment | Hard chrome  |
| Weight        | 10/15/20/25/30kg                                           | Wrap layer thickness   | Maximum 12mm |
| Grip diameter | 32.5mm                                                     | Tolerance              | ±2%          |



# Plate and bar



## Military-grade precision machining, extraordinary precision and stability

The Livepro competition-grade barbell bar is precisely controlled to within a maximum tolerance of 0.03mm, with a weight error of no more than 10g, and is equipped with high-precision bearings and copper sleeves.This delicate process results in minimal clearance between the grip and the sleeve, ensuring that the entire barbell bar is tightly bonded and perfectly integrated. This is not only for athletes, it also greatly improves the safety and quietness of use, making your training more focused and efficient.

# Powelifting competition plate

NEW

LP8334

- All-steel one-piece turning process. Weight accuracy of ± 0.2%.
- The first steel plate deep grip design.



| Spec      |                                   |                          |                                   |
|-----------|-----------------------------------|--------------------------|-----------------------------------|
| Material  | Q235                              | Thickness                | 6/7/12/15/19/19/19/20/26mm        |
| Structure | Colored teflon lacquer            | Loadable sleeve diameter | Ø50.4mm                           |
| Diameter  | 112/134/160/190/228/325/400/450mm | Weight                   | 0.25/0.5/1.25/2.5/5/10/15/20/25kg |



# Urethane double colored elite bumper plate

LP8027

- A high-quality polyurethane material has anti-corrosion and abrasion resistance, and long-term use is not easy to damage.
- Netonic alloy steel embryo, the surface is hard chrome,not only beautiful,but also to ensure hardness and stability.



| Spec      |                                                              |                  |                                       |
|-----------|--------------------------------------------------------------|------------------|---------------------------------------|
| Weight    | 5/10/15/20/25kg                                              | Thickness        | 21.5/30.7/42.5/49.4/54.3mm            |
| Structure | Inner core alloy billet<br>Polyurethane casting              | Hardness         | 92°                                   |
| Diameter  | IWF standard<br>Outer diameter 450mm<br>pore diameter 50.5mm | Falling test     | 20,000 falls<br>(5kg is not included) |
|           |                                                              | Weight tolerance | ±1%                                   |

# Rubber competition bumper plate

- Efficient absorption of rubber materials and protecting the ground.
- In strictly in accordance with competitive standards to ensure weight accuracy, suitable for training needs at all levels.
- Chen the groove design to help quickly change the weight during training to become more convenient.



| Spec      |                                                    |                  |                                                             |
|-----------|----------------------------------------------------|------------------|-------------------------------------------------------------|
| Weight    | 10/15/20/25kg                                      | Hardness         | 94°                                                         |
| Structure | Central alloy steel wheels<br>Rubber sulfurization | Falling test     | No damage after 2.2 meters high after falling 500,000 times |
| Diameter  | Outer diameter 450mm<br>Pore diameter 50.5mm       |                  |                                                             |
| Thickness | 34/38/48/57mm                                      | Weight tolerance | ±0.05%                                                      |



## Grip plate classic

- Solid steel one-piece construction ensures maximum durability. Hard chrome plating provides rust-proof protection. Dual grip holes offer secure handling during loading and workouts. Precision-weighted with smooth edges, perfect for strength training and functional fitness applications.



| Spec      |                   |                  |                                                          |
|-----------|-------------------|------------------|----------------------------------------------------------|
| Weight    | 10/15/20/25kg     | Diameter         | Outer diameter 325/400/450/450mm<br>Pore diameter 50.5mm |
| Material  | Steel             |                  |                                                          |
| Thickness | 25/25/27.8/32.8mm | Weight tolerance | ±1%                                                      |



## Grip plate urethane

- Seamless one-piece construction ensures ultimate durability. The urethane coating provides rust protection, noise reduction, and a comfortable grip. The ergonomic dual-handle design enables easy loading and stable operation. Precision-weighted with smooth edges, it's perfect for commercial gyms seeking quiet strength training.



| Spec     |                |                  |                                                          |
|----------|----------------|------------------|----------------------------------------------------------|
| Weight   | 10/15/20/25kg  | Diameter         | Outer diameter 325/400/450/450mm<br>Pore diameter 50.5mm |
| Material | Iron, Urethane |                  |                                                          |
|          |                | Weight tolerance | ±1%                                                      |



## Grip plate steel

- Crafted with seamless one-piece steel construction for ultimate durability. High-temperature spray coating ensures rust-proof protection and smooth texture. Features dual grip holes and edge silicone sleeves for easy handling while protecting floors. Precision-weighted with rounded edges, ideal for both commercial gyms and home fitness use.



| Spec      |                     |                  |                                                          |
|-----------|---------------------|------------------|----------------------------------------------------------|
| Weight    | 5/10/15/20kg        | Diameter         | Outer diameter 247/312/361/410mm<br>Pore diameter 50.5mm |
| Material  | Steel, Silicone     |                  |                                                          |
| Thickness | 31/39.2/46.6/44.8mm | Weight tolerance | ±1%                                                      |




## Livepro elite black rubber bumper plate

- Made entirely of rubber for quiet durability and low rebound.
- Patented groove design on the surface facilitates easy gripping of weight plates.



| Spec     |                                                                               |                  |                                                |
|----------|-------------------------------------------------------------------------------|------------------|------------------------------------------------|
| Weight   | 5/10/15/20/25kg                                                               | Thickness        | 28/47/66/78/91mm                               |
| Material | Pole holes stainless steel<br>Synthetic rubber high temperature vulcanization | Hardness         | 92°                                            |
|          |                                                                               | Falling test     | 2.2 meters falling 22,000 times without damage |
| Diameter | Pore diameter50.5mm<br>Outer diameter450mm                                    | Weight tolerance | ±1%                                            |

\*Passed the physical test of national body certification / Passed TUV Rheinland chemical laboratory testing and certification



Livepro elite colored rubber bumper plate


LP8332

- One-piece molding.
- The unique edge structure is not only beautiful but more convenient to grasp.



| Spec     |                                                                               |                  |                                                |
|----------|-------------------------------------------------------------------------------|------------------|------------------------------------------------|
| Weight   | 5/10/15/20/25kg                                                               | Thickness        | 28/47/66/78/91mm                               |
| Material | Pole holes stainless steel<br>Synthetic rubber high temperature vulcanization | Hardness         | 92°                                            |
|          |                                                                               | Falling test     | 2.2 meters falling 22,000 times without damage |
| Diameter | Pore diameter 50.5mm Outer diameter 450mm                                     | Weight tolerance | ±1%                                            |

\*Passed the physical test of national body certification / Passed TUV Rheinland chemical laboratory testing and certification



| Name             | Urethane change plate            | 12-sided urethane grip plate      | Urethane grip plate                 | Rubber grip plate                 |
|------------------|----------------------------------|-----------------------------------|-------------------------------------|-----------------------------------|
| Item             | LP8028                           | LP8023                            | LP8020                              | LP8330                            |
| Weight           | 0.5-5kg                          | 1.25-25kg                         | 1.25-25kg                           | 1.25-25kg                         |
| Structure        | Inside: steel<br>Cover: urethane | Inside: steel<br>Cover: urethane  | Inside: steel<br>Cover: urethane    | Inside: iron<br>Cover: rubber     |
| Plate diameter   | 135/160/175/<br>190/210/230mm    | 185/246/287/353/<br>376/398/418mm | 179.5/224/280/320/<br>360/419/448mm | 160/180/250/310/<br>390/430/430mm |
| Plate thickness  | 14.3/17.3/20.6/<br>21/21/28.5mm  | 24/26/34/41/<br>44/51/54mm        | 21.5/29.5/29/40/<br>45/45/46mm      | 24/31/39/42/<br>42/42/47mm        |
| Weight tolerance | ±2%                              | ±2%                               | ±2%                                 | ±2%                               |



| Name              | Weight lifting chains |
|-------------------|-----------------------|
| Item              | LP8089                |
| Weight            | 5/10/15/20kg          |
| Material          | Carbon steel          |
| Length            | 1500mm                |
| Surface treatment | Galvanized            |

Pulling block

LP6010

- Made of solid wood multi-layer board.
- The top is covered with high-density rubber, which increases non-slip performance.
- Adjust different heights according to demand.



| Spec                   |                                    |
|------------------------|------------------------------------|
| Material               | Wooden plate frame<br>Rubber cover |
| Size                   | 600*450*75/125/175mm               |
| Weight                 | 39kg                               |
| Wooden board thickness | 18mm                               |

JERK box

LP8816

- Made of high-quality multi-layer board, which allows it to carry huge weight.
- Double-layer structure and powerful internal support frames, scientific inlaid layout is inside, which can be stacked safely.
- Putting design, dual stability. Hand-grabbed the hole design, which is convenient for grasping.
- Belly design on both sides to prevent barbells from rolling down on the product.



| Spec                   |                          |
|------------------------|--------------------------|
| Material               | Wood                     |
| Size                   | 910*510*60/150/300/380mm |
| Weight                 | 168kg                    |
| Wooden board thickness | 20mm                     |

Barbell cushion

LP8320

- High-density regeneration cotton fill.
- Hand-lifting design makes it convenient.
- A non-slip fabric at the bottom to enhance the stability of the barbell platform.



| Spec     |                                                      |
|----------|------------------------------------------------------|
| Material | Regenerative cotton fill<br>The surface layer is PVC |
| Weight   | 11kg                                                 |
| Size     | 760*600*150mm                                        |

LP8370

IPF powerlifting  
competition bar



LP8314

IWF weightlifting  
competition bar (men)



LP8315

Performance  
weightlifting bar (men)



LP8316

Hybird power  
bar (men)



LP8371

Texas deadlift bar



| Spec                              |                                  |                       |                                         |                                     |                           |
|-----------------------------------|----------------------------------|-----------------------|-----------------------------------------|-------------------------------------|---------------------------|
| Name                              | IPF powerlifting competition bar | Texas deadlift bar    | IWF weightlifting competition bar (men) | Performance weightlifting bar (men) | Hybird power bar (men)    |
| Item                              | LP8370                           | LP8371                | LP8314                                  | LP8315                              | LP8316                    |
| Weight                            | 20kg (+0.2%/-0.1%)               | 20 +0.2%-0.1%kg       | 20 +0.1%-0.05%kg                        | 20 +0.2%-0.1%kg                     | 20 +0.2%-0.1%kg           |
| Length                            | 2200±1.0mm                       | 2300±2.0mm            | 2200±1.0mm                              | 2200±2.0mm                          | 2200±2.0mm                |
| Handle diameter                   | 29±0.03mm                        | 27±0.1mm              | 28±0.03mm                               | 28±0.1mm                            | 28±0.1mm                  |
| Loadable sleeve diameter          | 50-0.2mm                         | 50-0.2mm              | 50-0.2mm                                | 50-0.2mm                            | 50-0.2mm                  |
| Knurl type                        | IPF standard                     | 810mm no centre knurl | IWF standard                            | Six sections+centre knurl           | Six sections+centre knurl |
| Knurl pattern                     | Volcanic veins                   | Volcanic veins        | Volcanic veins                          | Volcanic veins                      | Volcanic veins            |
| Knurl size                        | 1.5mm                            | 1.5mm                 | 1.2mm                                   | 1.2mm                               | 1.2mm                     |
| Shaft length                      | 1310±0.5mm                       | 1420±2mm              | 1310±0.5mm                              | 1310±2.0mm                          | 1310±2.0mm                |
| Shoulder width                    | 12±0.5mm                         | 65±0.5mm              | 30±0.5mm                                | 30±1.0mm                            | 30±1.0mm                  |
| Loadable sleeve length            | 433±0.5mm                        | 375±0.5mm             | 415±0.5mm                               | 415±0.5mm                           | 415±0.5mm                 |
| Material                          | Stainless steel                  | Alloy steel           | Alloy steel                             | Alloy steel                         | Alloy steel               |
| Handle surface treatment          | Stainless steel                  | Black ceramic         | Hard chrome                             | Hard chrome                         | Ceramic                   |
| Loadable sleeve surface treatment | Hard chrome                      | Hard chrome           | Hard chrome                             | Hard chrome                         | QPQ                       |
| Sleeve rotation                   | Bushing*8                        | Bushing*6             | 30mm NK bearing*8                       | 30mm NK bearing*8                   | 30mm NK bearing*8         |
| Tested                            | 2000LB                           | 2000LB                | 2000LB                                  | 1500LB                              | 1000LB                    |
| Tensile strength                  | ≥ 205k PSI                       | ≥ 190k PSI            | ≥ 215k PSI                              | ≥ 190k PSI                          | ≥ 170k PSI                |

LP8317

IWF weightlifting competition bar (women)



LP8318

Performance weightlifting bar (women)



LP8319

Hybird power bar (women)



| Spec                              |                                           |                                       |                           |
|-----------------------------------|-------------------------------------------|---------------------------------------|---------------------------|
| Name                              | IWF weightlifting competition bar (women) | Performance weightlifting bar (women) | Hybird power bar (women)  |
| Item                              | LP8317                                    | LP8318                                | LP8319                    |
| Weight                            | 15 +0.1%-0.05%kg                          | 15 +0.1%-0.05%kg                      | 15 +0.2%-0.1%kg           |
| Length                            | 2010±1.0mm                                | 2010±2.0mm                            | 2010±2.0mm                |
| Handle diameter                   | 25±0.03mm                                 | 25±0.1mm                              | 25±0.1mm                  |
| Loadable sleeve diameter          | 50-0.2mm                                  | 50-0.2mm                              | 50-0.2mm                  |
| Knurl type                        | IWF standard                              | Six sections+centre Knurl             | Six sections+centre Knurl |
| Knurl pattern                     | Volcanic veins                            | Volcanic veins                        | Volcanic veins            |
| Knurl size                        | 1.0mm                                     | 1.0mm                                 | 1.0mm                     |
| Shaft length                      | 1310±0.5mm                                | 1310±0.5mm                            | 1310±0.5mm                |
| Shoulder width                    | 30±0.5mm                                  | 30±0.5mm                              | 30±0.5mm                  |
| Loadable sleeve length            | 320±0.5mm                                 | 320±0.5mm                             | 320±0.5mm                 |
| Material                          | Alloy steel                               | Alloy steel                           | Alloy steel               |
| Handle surface treatment          | Hard chrome                               | Hard chrome                           | Colored ceramics          |
| Loadable sleeve surface treatment | Hard chrome                               | Hard chrome                           | QPQ                       |
| Sleeve rotation                   | 30mm NK bearing*8                         | 30mm NK bearing*8                     | 30mm NK bearing*8         |
| Tested                            | 2000LB                                    | 1500LB                                | 1000LB                    |
| Tensile strength                  | ≥ 215k PSI                                | ≥ 190k PSI                            | ≥ 170k PSI                |

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------|
|  |  |  |  |                |
| Name                                                                                | Performance weightlifting bar                                                       | 6' olympic bar                                                                      | Powerlifting competition bar                                                        | 5' olympic bar |

|                                   |             |             |             |             |
|-----------------------------------|-------------|-------------|-------------|-------------|
| Item                              | LP8052      | LP8087      | LP8080      | LP8082      |
| Weight                            | 20kg        | 15kg        | 20kg        | 13.5kg      |
| Length                            | 2200mm      | 1800mm      | 2200±0.5mm  | 1500mm      |
| Handle diameter                   | 28mm        | 28mm        | 29mm        | 28mm        |
| Loadable sleeve diameter          | 50mm        | 50mm        | 50mm        | 50mm        |
| Material                          | Alloy steel | Alloy steel | Alloy steel | Alloy steel |
| Handle surface treatment          | Plating     | Plating     | Black zinc  | Plating     |
| Loadable sleeve surface treatment | Plating     | Plating     | Hard chrome | Plating     |
| Tested                            | 700LB       | 600LB       | 2000LB      | 600LB       |

|                                                                                       |                                                                                       |                                                                                       |                     |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------|
|  |  |  |                     |
| Name                                                                                  | Stainless steel weightlifting bar                                                     | 4' olympic bar                                                                        | 4' olympic curl bar |

|                                   |                 |              |              |
|-----------------------------------|-----------------|--------------|--------------|
| Item                              | LP8308          | LP8054       | LP8053       |
| Weight                            | 20kg            | 10kg         | 10kg         |
| Length                            | 2200±0.5mm      | 1200mm       | 1200mm       |
| Handle diameter                   | 28mm            | 28mm         | 28mm         |
| Loadable sleeve diameter          | 50mm            | 50mm         | 50mm         |
| Material                          | Stainless steel | Carbon steel | Carbon steel |
| Handle surface treatment          | Stainless steel | Plating      | Plating      |
| Loadable sleeve surface treatment | Stainless steel | Plating      | Plating      |
| Tested                            | 1000LB          | 500LB        | 500LB        |



| Name                              | Safty squat bar         | Duffalo bar | Farmer's walk bar  |
|-----------------------------------|-------------------------|-------------|--------------------|
| Item                              | LP8376                  | LP8305      | LP8307             |
| Weight                            | 25kg                    | 22kg        | 10kg               |
| Length                            | 2300mm                  | 2350mm      | 1500mm             |
| Handle diameter                   | 30mm                    | 30mm        | 30mm               |
| Loadable sleeve diameter          | 50mm                    | 50mm        | 50mm               |
| Material                          | A3, Recycled cotton, PU | Alloy steel | Steel              |
| Handle surface treatment          | Black ceramic paint     | Hard chrome | Sprayed black sand |
| Loadable sleeve surface treatment | Hard chrome             | Hard chrome | Sprayed black sand |
| Tested                            | 700LB                   | 1000LB      | —                  |



| Name                              | Junior technique bar | Loadable dumbbells |
|-----------------------------------|----------------------|--------------------|
| Item                              | LP8083               | LP8084             |
| Weight                            | 2.5kg                | 5.8kg              |
| Length                            | 1300mm               | 515mm              |
| Handle diameter                   | 22.2mm               | 28mm               |
| Loadable sleeve diameter          | 50mm                 | 50mm               |
| Material                          | Aluminium            | Carbon steel       |
| Handle surface treatment          | Black oxidation      | Plating            |
| Loadable sleeve surface treatment | Black oxidation      | Plating            |
| Tested                            | 40LB                 | 500LB              |



| Name                              | Log bar                      | Multi-grip bar               | Multi-grip bar               |
|-----------------------------------|------------------------------|------------------------------|------------------------------|
| Item                              | LP8302                       | LP8311                       | LP8306                       |
| Weight                            | 25.88kg                      | 22kg                         | 12.15kg                      |
| Length                            | 1860mm                       | 2010mm                       | 1985mm                       |
| Handle diameter                   | 28mm                         | 32mm                         | 28mm                         |
| Loadable sleeve diameter          | 50mm                         | 50mm                         | 50mm                         |
| Material                          | Carbon steel                 | Carbon steel                 | Carbon steel                 |
| Handle surface treatment          | Electrostatic powder coating | Electrostatic powder coating | Electrostatic powder coating |
| Loadable sleeve surface treatment | Plating                      | Plating                      | Plating                      |
| Tested                            | 700LB                        | 700LB                        | 700LB                        |



| Name               | Chest pressing multigrip dro bar | Chest pressing multi grip bar |
|--------------------|----------------------------------|-------------------------------|
| Item               | LP8378                           | LP8377                        |
| Weight             | 25kg±1                           | 20kg±0.02                     |
| Size               | 2053*200*197mm                   | 2073*197*200mm                |
| Material           | Q235                             | Q235                          |
| Surface            | Hard chrome                      | Hard chrome                   |
| Plate pin diameter | Ø50mm                            | Ø50mm                         |
| Protective pads    | 25mm foam                        | 25mm foam                     |
| Includes           | Bar*1                            | Bar*1                         |

# Livepro open bar

NEW

- The tumbling support design allows you to easily change sheets. The double centroid handle transformation is more suitable for different needs.
- Weight precision control and front and rear balance tuning are more professional.

LP8375



| Spec                     |                                    |
|--------------------------|------------------------------------|
| Weight                   | 25kg                               |
| Size                     | 2000*655*245mm                     |
| Material                 | Q235-A, SUS304, PE, 7075aluminium  |
| Surface                  | Black ceramic lacquer, Hard chrome |
| Grip diameter            | Ø28mm                              |
| Protective pads          | 5mm PE                             |
| Loadable sleeve diameter | Ø50mm                              |



| Name                              | Hex bar      | Hex bar      | Tricep bar   |
|-----------------------------------|--------------|--------------|--------------|
| Item                              | LP8300       | LP8309       | LP8059       |
| Weight                            | 26kg         | 23.5kg       | 10.6kg       |
| Length                            | 1220mm       | 1820mm       | 860mm        |
| Handle diameter                   | 26/38/50mm   | 25mm         | 28mm         |
| Loadable sleeve diameter          | 50mm         | 50mm         | 50mm         |
| Material                          | Carbon steel | Carbon steel | Carbon steel |
| Handle surface treatment          | Plating      | Plating      | Plating      |
| Loadable sleeve surface treatment | Plating      | Plating      | Plating      |
| Tested                            | 700LB        | 700LB        | 500LB        |



| Name           | Barbell collars                     | Barbell collars                     | Magnetic barbell collars                           | Barbell collars |
|----------------|-------------------------------------|-------------------------------------|----------------------------------------------------|-----------------|
| Item           | LP8061                              | LP8062                              | LP8099                                             | LP8536          |
| Weight         | 170g*2pcs                           | 130g*2pcs                           | 123g*2pcs                                          | 150g*2pcs       |
| Material       | Overall: nylon<br>Leather ring: TPR | Overall: nylon<br>Leather ring: TPR | Overall: nylon; Leather ring: TPR<br>Embed: magnet | PC              |
| Inner diameter | 50mm                                | 50mm                                | 50mm                                               | 50mm            |

V-bar

LP8321

- Constructed with an internal iron core encased in premium PVC material.
- Highly durable with strong corrosion resistance to prevent rusting.
- Ergonomically sized handle for a comfortable grip.

| Spec     |                             |      |                                  |
|----------|-----------------------------|------|----------------------------------|
| Material | Plames: PVC<br>Inside: Iron | Size | 235*145mm<br>Grip diameter: 30mm |
| Weight   | 1.85kg                      |      |                                  |



Mid bar

LP8329

- Compatible with other fitness equipment for combined strength training use.
- Highly durable with rust and corrosion resistance.
- Resistant to peeling and cracking, built to withstand wear and tear.

| Spec     |                             |      |                                  |
|----------|-----------------------------|------|----------------------------------|
| Material | Plames: PVC<br>Inside: Iron | Size | 530*135mm<br>Grip diameter: 30mm |
| Weight   | 3.1kg                       |      |                                  |



| Name     | V-grip                           | Mid grip                         | Wide grip                        |
|----------|----------------------------------|----------------------------------|----------------------------------|
| Item     | LP8323                           | LP8327                           | LP8328                           |
| Weight   | 2.65kg                           | 3.95kg                           | 3.95kg                           |
| Material | Plames: PVC<br>Inside: Iron      | Plames: PVC<br>Inside: Iron      | Plames: PVC<br>Inside: Iron      |
| Size     | 275*120mm<br>Grip diameter: 24mm | 560*120mm<br>Grip diameter: 25mm | 850*120mm<br>Grip diameter: 25mm |

| Name     | Reverse grip                     | Wide triceps grip                          | Triceps grip                               | Biceps grip                                |
|----------|----------------------------------|--------------------------------------------|--------------------------------------------|--------------------------------------------|
| Item     | LP8322                           | LP8324                                     | LP8325                                     | LP8326                                     |
| Weight   | 2.4kg                            | 3.65kg                                     | 3.35kg                                     | 3.35kg                                     |
| Material | Plames: PVC<br>Inside: Iron      | Plames: PVC<br>Inside: Iron                | Plames: PVC<br>Inside: Iron                | Plames: PVC<br>Inside: Iron                |
| Size     | 305*100mm<br>Grip diameter: 30mm | 430*145mm<br>Handle pore diameter: 28-34mm | 345*160mm<br>Handle pore diameter: 28-34mm | 345*160mm<br>Handle pore diameter: 28-34mm |

| Name     | Pro lat bar                                | Triceps straight bar                  | Angled biceps/triceps bar              | Multi purpose handle                   |
|----------|--------------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------|
| Item     | LP8192E                                    | LP8192H                               | LP8192F                                | LP8192A                                |
| Weight   | 4.3kg                                      | 2.15kg                                | 2.9kg                                  | 3.6kg                                  |
| Material | Main material: steel<br>Handle: PU         | Main material: steel<br>Handle: PU    | Main material: steel<br>Handle: PU     | Main material: steel<br>Handle: PU     |
| Size     | 640*160*120mm<br>Steel pipe diameter: 25mm | 490*85mm<br>Steel pipe diameter: 25mm | 620*235mm<br>Steel pipe diameter: 25mm | 355*210mm<br>Steel pipe diameter: 25mm |

| Name     | Tricep v-bar rotating                  | Cable handle                             | Tricep v-bar                           | Rowing handle                              |
|----------|----------------------------------------|------------------------------------------|----------------------------------------|--------------------------------------------|
| Item     | LP8192B                                | LP8192D                                  | LP8192I                                | LP8192G                                    |
| Weight   | 2.678kg                                | 860g                                     | 1.95kg                                 | 1.89kg                                     |
| Material | Main material: steel<br>Handle: PU     | Main material: steel<br>Handle: PU       | Main material: steel<br>Handle: PU     | Main material: steel<br>Handle: PU         |
| Size     | 435*185mm<br>Steel pipe diameter: 25mm | 170*150mm<br>Steel pipe diameter: 12.2mm | 320*185mm<br>Steel pipe diameter: 25mm | 185*150*130mm<br>Steel pipe diameter: 25mm |

| Name     | Tricep rope                   | Tricep rope       | Tricep rope |
|----------|-------------------------------|-------------------|-------------|
| Item     | LP8720                        | LP8708            | LP8561      |
| Weight   | 725g                          | 418g              | 640g        |
| Material | Rope: nylon<br>Head: PU, Iron | Polyester         | Nylon       |
| Size     | Length: 700mm                 | One size fits all | 1000mm      |

# Functional training



## Science empowers, unleashing athletic potential

This chapter delves into the field of functional training, presenting professional-grade solutions tailored to your needs. We have curated a selection of highly effective and practical functional training equipment, including but not limited to:

Suspension Training Systems: Utilize bodyweight resistance for multi-planar, multi-angle training, enhancing strength, stability, and flexibility.

Medicine Balls: Combine explosive power training with functional movement patterns to boost core strength, coordination, and athletic performance.

Balance Training Equipment: Challenge equilibrium, improve proprioception and postural control, and reduce the risk of sports injuries.

Agility Training Tools: Enhance reaction speed, agility, and coordination for sport-specific conditioning.

We are committed to providing professional functional training products and services for fitness facilities, sports teams, and fitness enthusiasts. Our solutions help you design scientifically optimized training programs, improve workout efficiency, unlock athletic potential, and achieve your fitness goals.

# Square training barrel

LP8133

- The square tube design will not roll, which is convenient for storage.
- Ecological engineering handle design is easy to grasp.



| Spec     |               |
|----------|---------------|
| Material | TPE           |
| Height   | 250/300/350mm |
| Weight   | 4/6/8/10/12kg |



| Name     | Landmine  | Landmine handle | Landmine handle |
|----------|-----------|-----------------|-----------------|
| Item     | LP8185    | LP8186          | LP8187          |
| Weight   | 18kg      | 550g            | 70g             |
| Material | Steel     | Steel           | Steel           |
| Size     | 450*450mm | 610*430*26mm    | 230*160*56mm    |



# Pro stackable Rectangular plyo box set

- High-quality EVA provides high -quality texture.
- Internal wooden frame structure, surface -layer non-slip PVC, making training more stable.



| Spec             |                       |
|------------------|-----------------------|
| Internal support | Wooden board          |
| Cushion layer    | EVA                   |
| Surface          | Anti-slip PVC leather |
| Height           | 150/300/450/600mm     |
| Weight           | 15.5/22/32/36.5kg     |
| Platform size    | 900*750mm             |



| Name          | 3-in-1 wood plyo box | 3-in-1 soft plyo box | Stackable rectangular plyo box set |
|---------------|----------------------|----------------------|------------------------------------|
| Item          | LP8157               | LP8155               | LP8151                             |
| Weight        | 23kg                 | 21kg                 | 26kg                               |
| Surface       | Non -slip coating    | PVC                  | PVC                                |
| Interior      | Wood                 | Wood, EVA            | EPE                                |
| Platform size | 500*600mm            | 500*600mm            | 900*750mm                          |
| Height        | 750mm                | 750mm                | 75/150/300/450/600mm               |

Tire

- Anti -slip human engineering handle.
- The cross sewing process is used on the tire, which does not open the line and is firm and durable.



| Spec      |                                                                                    |
|-----------|------------------------------------------------------------------------------------|
| Structure | Epitrobine non -slip PVC<br>The middle layer absorbs foam<br>Internal rubber tires |
| Height    | 250/300/350mm                                                                      |
| Weight    | 40/60/80kg                                                                         |
| Size      | Diameter<br>880/1030/1200mm                                                        |



| Name     | Power bag                                                 | Bulgarian bag                                             | Aqua bag           | Aqua bag            |
|----------|-----------------------------------------------------------|-----------------------------------------------------------|--------------------|---------------------|
| Item     | LP8120                                                    | LP8130                                                    | LP8125             | LP8126              |
| Weight   | 5/10/15/20/25kg                                           | 5/8/12/17/22kg                                            | Maximum weight 5kg | Maximum weight 20kg |
| Material | Cover: PVC<br>Middle layer: foam layer<br>Fill: Iron sand | Cover: PVC<br>Middle layer: foam layer<br>Fill: Iron sand | PVC                | PVC                 |
| Size     | 570*220mm                                                 | 670*250mm                                                 | 160*370mm          | 180*900mm           |



| Name     | Sand bag                  | The worm      |
|----------|---------------------------|---------------|
| Item     | LP8106                    | LP8132        |
| Weight   | 20/40/60/80/100kg         | 75kg          |
| Material | Cordura                   | Kitala fabric |
| Size     | 370*100/200/320/380/460mm | 3000*300mm    |



| Name     | Weighted vest                                    | Tactical vest                 |
|----------|--------------------------------------------------|-------------------------------|
| Item     | LP8195                                           | LP8194                        |
| Weight   | 10/20kg                                          | 13kg                          |
| Material | Nylon vest, Heavy iron sand block, Sponge buffer | Nylon vest, Heavy steel block |
| Size     | 410*390mm                                        | 530*320mm                     |



| Name     | Wall ball                                                 | Pro wall ball                                                                                  | Double grip medicine ball                     | Medicine ball                                    | Slam ball                         |
|----------|-----------------------------------------------------------|------------------------------------------------------------------------------------------------|-----------------------------------------------|--------------------------------------------------|-----------------------------------|
| Item     | LP8100                                                    | LP8103                                                                                         | LP8111                                        | LP8112                                           | LP8105                            |
| Weight   | 3-12kg                                                    | 2kg-12kg                                                                                       | 4kg-8kg                                       | 1kg-10kg                                         | 3kg-20kg                          |
| Material | Cover: PVC<br>Intermediate layer: foam<br>Fill: Iron sand | Epidermi: double -sided sewing 1000D bottom PVC<br>Intermediate layer: foam<br>Fill: Iron sand | Rubber                                        | Rubber                                           | Cover: PVC<br>Fill: Iron sand     |
| Diameter | 350mm                                                     | (2kg) 300mm<br>(3kg-12kg) 350mm                                                                | (4-5kg) 250mm<br>(6-7kg) 275mm<br>(8kg) 300mm | (1-2kg) 190mm<br>(3-5kg) 230mm<br>(6-10kg) 286mm | (3-10kg) 230mm<br>(12-20kg) 280mm |

Functional ball trainer

- Enhance grip strength: The functional training basketball is specially designed to enhance finger and hand grip strength, helping athletes improve their grip strength through its unique materials and structure.
- Increase confidence: The "Ball Strong" concept is integrated into the design to enable athletes to increase their confidence in ball control and passing when using the basketball.
- Reduce turnovers: By improving hand strength and ball control, basketball helps reduce turnovers in games and training, especially in high-stress situations.
- Restore scenes from actual basketball combat. Perfectly combines real basketball ball grip with special basketball performance. Train with the most essential attitude of basketball and let training return to the game!

| Spec                          |                                                                                                                     |
|-------------------------------|---------------------------------------------------------------------------------------------------------------------|
| Weight                        | 1670g                                                                                                               |
| Size                          | Basketball diameter 240-242mm (FIBA/NBA adult men's standard)                                                       |
| Color                         | Orange                                                                                                              |
| Materials and construction    | Surface: composite leather/Middle: natural rubber buffer layer<br>Inner: polycarbonateAnchor point: stainless steel |
| Grip                          | Bump textureChannel designMicrofiber construction                                                                   |
| Anchor point bearing capacity | Maximum 500kg                                                                                                       |
| Elasticity                    | Inelastic design, not suitable for rebound training                                                                 |
| Impact resistance             | Designed to withstand daily training use, but not suitable for drops from more than 1 meter to avoid deformation    |




| Name           | Elastic suspension trainer                                             | Suspension trainer                              | Suspension trainer                                  |
|----------------|------------------------------------------------------------------------|-------------------------------------------------|-----------------------------------------------------|
| Item           | LP8166                                                                 | LP8162                                          | LP8450                                              |
| Material       | Strap: polyester<br>Metal parts: zinc alloy<br>Resistance tube: rubber | Strap: polypropylene<br>Metal parts: zinc alloy | Strap: ployester<br>Handle: PP, TPR<br>Steel buckle |
| Bearing weight | 200kg                                                                  | 200kg                                           | 200kg                                               |
| Size           | Tube length: 500mm<br>Pipe diameter: 14mm                              | Adjustable length:<br>1800-2700mm               | -                                                   |

Livepro sled



- The Livepro sled is a top-of-the-line training equipment that is carefully designed for strength and endurance training. It inherits the high standard of the EVEREST 25 series, with 75\*75 tubing and 26 aperture system, which is compatible with a variety of accessories of the EVEREST 25. The sled not only shows innovation in materials and construction, but also offers unprecedented flexibility and convenience in terms of functionality. Ideal for athletes and fitness enthusiasts looking for the ultimate training results.

| Spec                      |                                                            |
|---------------------------|------------------------------------------------------------|
| Weight                    | 34kg                                                       |
| Size                      | 1048*783*983mm                                             |
| Material                  | Q235 steel                                                 |
| Surface                   | Powder coating                                             |
| Bore diameter system      | 26mm bore diameter<br>Compatible with E25 accessories      |
| High push handle diameter | 32mm                                                       |
| Low push handle diameter  | 50mm                                                       |
| Includes                  | Sled*1, Low push handle*1<br>High push handle*2, Mag pin*2 |



| Name           | Plastic gym ring                | Wooden gym ring                                                                                |
|----------------|---------------------------------|------------------------------------------------------------------------------------------------|
| Item           | LP8134                          | LP8123                                                                                         |
| Material       | Strap: polyester<br>Handle: ABS | Strap: polyester<br>Handle: wood                                                               |
| Bearing weight | 200kg                           | 200kg                                                                                          |
| Size           | Ring diamter : 32mm             | Ring diameter: 32mm<br>Hanging ring outer diameter: 234mm<br>Belt length: 4600mm, width: 3.8mm |



AB wheel

LP8346

- The design of the universal wheel is uniform, and it is not easy to dump when you use it.
- Both sides of the handle, texture design, improve the non -slip.

| Spec     |                                    |              |                                   |
|----------|------------------------------------|--------------|-----------------------------------|
| Material | Main body HDPE<br>Buffer layer EVA | Cushion size | 450*240*10mm                      |
| Weight   | 2.4kg                              | Includes     | 1 healthy wheel<br>1 kneeling pad |
| Load     | 200kg                              | Size         | 600*525*220mm                     |



Glute ham roller

LP8347

- Made of high -quality steel, high strength and not easy to deform.
- Black pulley, durable and not easy to wear, can roll smoothly.

| Spec     |                                         |                   |                              |
|----------|-----------------------------------------|-------------------|------------------------------|
| Material | 50*50*2mm round tube<br>5mm sheet metal | Manufacturing     | MIG welding<br>Standard bolt |
| Weight   | 5kg                                     | Surface treatment | Static powder coating        |
| Load     | 150kg                                   | Size              | 660*405*100mm                |



Interval timer

LP8143

- Black aluminum alloy frame, sturdy and durable.
- A variety of preset modes can be customized to keep the presets.

| Spec   |              |
|--------|--------------|
| Size   | 720*160*40mm |
| Weight | 3kg          |



| Name           | Push-up bar   |
|----------------|---------------|
| Item           | LP8160        |
| Weight         | 8.3kg         |
| Material       | Carbon steel  |
| Bearing weight | 150kg         |
| Size           | 630*330*365mm |



|                | Parallettes pair |
|----------------|------------------|
| Item           | LP8161           |
| Weight         | 13kg             |
| Material       | Carbon steel     |
| Bearing weight | 150kg            |
| Size           | 600*400*750mm    |




| Name     | Battle rope storage hanger | Battle rope anchor |
|----------|----------------------------|--------------------|
| Item     | LP8178                     | LP8179             |
| Weight   | 900g                       | 600g               |
| Material | Carbon steel               | Carbon steel       |
| Size     | 343*200*50mm               | 230*50*90mm        |



| Name     | Covered battle rope | Aluminum handle battle rope         | Battle rope        |
|----------|---------------------|-------------------------------------|--------------------|
| Item     | LP8172              | LP8173                              | LP8170             |
| Weight   | 7.6-21.8kg          | 8.1-13.3kg                          | 7.6-21.8kg         |
| Material | Polyester           | Rope: polyester<br>Handle: aluminum | Polyester          |
| Diameter | 38/51mm             | 38mm                                | 38/51mm            |
| Length   | 9000/12000/15000mm  | 9000/12000/15000mm                  | 9000/12000/15000mm |



| Name     | Quick cones | Agility cone |
|----------|-------------|--------------|
| Item     | LP8616      | LP8618       |
| Weight   | 460g        | 340g         |
| Material | PP          | PP           |
| Size     | 210*65mm    | 210*240mm    |
| Include  | 12pcs/set   | 4pcs/set     |



| Name     | Agility grid system  | Rubber agility ladder |
|----------|----------------------|-----------------------|
| Item     | LP8612               | LP8621                |
| Weight   | 1.3kg                | 9.8kg                 |
| Material | PP                   | Rubber                |
| Size     | Border length: 280mm | 4520*410*4mm          |



| Name     | Quick hurdles       | Lateral endurance hurdle | Speed bag                                                            |
|----------|---------------------|--------------------------|----------------------------------------------------------------------|
| Item     | LP8615              | LP8611                   | LP8184                                                               |
| Weight   | 2kg                 | 670g                     | Maximum load bearing 20kg                                            |
| Material | PP                  | Cover: PVC<br>Fill: EPE  | Inner side: PVC; Outside: rubber<br>Woven belt: nylon; Button: steel |
| Size     | 470*300*(200-300)mm | 600*210*290mm            | Belt length:1320mm                                                   |
| Include  | 4pcs/set            | 4pcs/set                 | 1pcs/set                                                             |



Jump rope

LP8286

- Adjustable length
- Made of high-quality PVC and is lightweight material.
- Black part of the handle is made of TPR material, with comfortable grip.
- Handle anti-slip texture is designed, which is not only beautiful and generous, but also increases the anti-slip and is not easy to get o during exercise.

| Spec     |                          |
|----------|--------------------------|
| Material | Rope: PVC<br>Handle: TPR |
| Size     | 2750mm                   |
| Weight   | 210g                     |



| Name     | Jump rope                                           | Jump rope                                           | Weighted jump rope                                  | Weighted Jump rope                                  |
|----------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|-----------------------------------------------------|
| Item     | LP8283                                              | LP8283                                              | LP8283H                                             | LP8283H                                             |
| Weight   | 190g                                                | 190g                                                | 310g                                                | 310g                                                |
| Material | Handle: aviation-grade aluminum<br>Rope: steel wire | Handle: aviation-grade aluminum<br>Rope: steel wire | Handle: aviation-grade aluminum<br>Rope: steel wire | Handle: aviation-grade aluminum<br>Rope: steel wire |
| Size     | 3000*2.5mm                                          | 3000*2.5mm                                          | 3000*2.5mm                                          | 3000*2.5mm                                          |

Aluminum handle grip

LP8285

- High-strength springs are for precise grip training.
- Aluminum handle is wear-resistant and corrosion-resistant.
- Handles engraved with beautiful knurling, are beautiful and non-slip, to achieve maximum grip.
- Spring with black spraying.

| Spec       |                                                               |
|------------|---------------------------------------------------------------|
| Material   | Aluminum                                                      |
| Size       | Spring diameter:<br>5.5/6/6.5/7/7.5mm<br>Handle diameter:18mm |
| Weight     | 185/195/210/215/235g                                          |
| Resistance | 60/100/140/200/280lbs                                         |



| Name       | Loop bands    | Resistance band                | Fabric loop band       |
|------------|---------------|--------------------------------|------------------------|
| Item       | LP8412        | LP8415                         | LP8414                 |
| Resistance | 10/20/30/40lb | 5/10/15/20/25lb                | 10/20/30lb             |
| Material   | Latex         | Latex                          | Polyester, Latex       |
| Size       | 500*50mm      | 2000*150*0.3/0.4/0.5/0.6/0.7mm | 580*60/630*70/680*80mm |



| Name       | Super band                         | Super band       | Super band       |
|------------|------------------------------------|------------------|------------------|
| Item       | LP8410                             | LP8409           | LP8411           |
| Resistance | 15-35/25-65/35l-85/50-125/85-170lb | 55/99lb          | 8/14/22lb        |
| Material   | Latex                              | Polyester, Latex | Polyester, Latex |
| Size       | 2080*4.5*13/22/32/45/64mm          | 1900*60mm        | 1040*30mm        |



| Name       | Toning tube                                     | Toning tube                                     | Toning tube                                     | Toning tube                                     |
|------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|-------------------------------------------------|
| Item       | LP8405-S                                        | LP8405-M                                        | LP8405-L                                        | LP8405-XL                                       |
| Resistance | 10lb                                            | 20lb                                            | 30lb                                            | 40lb                                            |
| Material   | Tube: latex<br>Handle: TPR<br>Ribbon: polyester | Tube: latex<br>Handle: TPR<br>Ribbon: polyester | Tube: latex<br>Handle: TPR<br>Ribbon: polyester | Tube: latex<br>Handle: TPR<br>Ribbon: polyester |
| Size       | 6*10*1200mm                                     | 7*11*1200mm                                     | 5*11*1200mm                                     | 6*13*1200mm                                     |



| Name     | Livepro resistance bar                          | Resistance tube                                                                                         | Exercise band |
|----------|-------------------------------------------------|---------------------------------------------------------------------------------------------------------|---------------|
| Item     | LP8400                                          | LP8401                                                                                                  | LP8407        |
| Weight   | 30lb                                            | 10/20/30/40lb                                                                                           | 233g          |
| Material | Tube: latex<br>Bar: steel                       | Latex                                                                                                   | TPE           |
| Size     | Bar length: 1115mm<br>Steel pipe diameter: 25mm | Tube length: 1200mm<br>Latex tube size:<br>5*7mm(10lb)<br>6*9mm(20lb)<br>6*10mm(30lb)<br>6*11.5mm(40lb) | 1300*24*3.4mm |

| Name      | Explosive power trainer                                                   | Double combat trainer                                       | Chest expander               |
|-----------|---------------------------------------------------------------------------|-------------------------------------------------------------|------------------------------|
| Item      | LP8425                                                                    | LP8426                                                      | LP8430                       |
| Material  | Tube: latex<br>Ribbon: nylon                                              | Tube: latex<br>Ribbon: nylon                                | Tube: latex<br>Ribbon: nylon |
| Accessory | Latex tube*2<br>Latex tube*3<br>Foot cover*2<br>Gloves*2<br>Round waist*1 | Latex tube*4<br>Foot cover*2<br>Gloves*2<br>Strape handle*1 | Latex tube*3                 |

| Name      | Pull-up assisted band                    | Double resistance trainer                 | Stretch trainer                | Bounce trainer                                |
|-----------|------------------------------------------|-------------------------------------------|--------------------------------|-----------------------------------------------|
| Item      | LP8428                                   | LP8424                                    | LP8427                         | LP8429                                        |
| Material  | Tube: latex<br>Ribbon: nylon             | Latex                                     | Tube: latex<br>Ribbon: nylon   | Tube: latex<br>Ribbon: nylon                  |
| Accessory | Adjustable webbing * 1<br>Latex tube * 3 | Latex tube*1<br>Traction rope*1<br>Belt*1 | Latex tube*2<br>Ankle sleeve*2 | Latex tube*4<br>Foot cover*2<br>Round waist*1 |

# Recovery and regeneration



## Steady support stretching and activation exercises

Livepro training mats, made of special foam material, combined with non-slip, durable design, provide stable support for stretching and active training, protect the body, suitable for a variety of training formats, ideal for fitness enthusiasts.

## Balance trainer LP8216

- Add three dimensions to each action, make the exercise effect better, grip design, and increase the possibility of multiple exercise.
- Surface texture design, increase the friction coefficient, effectively non -slip.

| Spec     |                                           |
|----------|-------------------------------------------|
| Material | PVC surface<br>TPE bottom, Plastic handle |
| Size     | 1030*485*250mm                            |
| Weight   | 10.2kg                                    |



## Balance trainer LP8211

- The spherical texture and the base cushion ring, at the same time increase the non -slip properties.
- Durable spherical and wide bases can bear the maximum of 300kg.

| Spec     |           |
|----------|-----------|
| Material | PVC, PP   |
| Size     | 615*220mm |
| Weight   | 5.5kg     |



## Anti-burst core ball LP8201

- The edge of the sphere surface is not only beautiful, but also provides outstanding grip.
- The foam design of the sphere, after being pierced, slowly deflates without blasting.

| Spec     |                |
|----------|----------------|
| Material | PVC            |
| Size     | 550/650/750mm  |
| Weight   | 900/1050/1200g |



| Name     | Balance pad  | Balance board                        | Stretch board | Adjustable stretch board |
|----------|--------------|--------------------------------------|---------------|--------------------------|
| Item     | LP8360       | LP8362                               | LP8363        | LP8365                   |
| Weight   | 1.5kg        | 3.25kg                               | 4.88kg        | 20kg                     |
| Material | PU           | Wood                                 | Wood          | Steel                    |
| Size     | 490*390*55mm | 800*260*18mm<br>Roller diameter110mm | 460*380*58mm  | 929*513*88.5mm           |



| Name     | Foot massage ball        | Target massage ball | Peanut massage ball                   |
|----------|--------------------------|---------------------|---------------------------------------|
| Item     | LP8507                   | LP8508              | LP8509                                |
| Weight   | 45g                      | 238g                | 250g                                  |
| Material | Polyurethane             | Polyurethane        | Polyurethane                          |
| Diameter | 68mm                     | 125mm               | Length: 194mm<br>Ball diameter: 106mm |
| Hardness | 70° (blue)/ 40° (yellow) | 70°                 | 70°                                   |



| Name     | High-density foam roller | Foam roller   |
|----------|--------------------------|---------------|
| Item     | LP8238                   | LP8230        |
| Weight   | 200g/400g                | 360/670g      |
| Material | EPP                      | EVA           |
| Size     | 450/900*150mm            | 450/900*150mm |
| Hardness | 50°                      | 50°           |



| Name     | NBR sports mat | TPE yoga mat  | Hanging training mat | Hanging core mat |
|----------|----------------|---------------|----------------------|------------------|
| Item     | LP8228         | LP8227        | LP8229               | LP8220           |
| Weight   | 1.1kg          | 1.22kg        | 1.6kg                | 1.3kg            |
| Material | NBR            | TPE           | EVA                  | PVC              |
| Size     | 1850*800*10mm  | 1830*610*10mm | 1400*600*16mm        | 1200*600*7mm     |



| Name     | Muscle massage ball | Massage peanut ball | Magnetic massage stick         | Exercise stick |
|----------|---------------------|---------------------|--------------------------------|----------------|
| Item     | LP8501              | LP8502              | LP8264                         | LP8266         |
| Weight   | 150g                | 300g                | 650g                           | 494g           |
| Material | TPR                 | TPR                 | Main: PVC<br>Inner: steel pipe | Wood           |
| Diameter | 65mm                | 125*65mm            | 415mm                          | 1200/1500*25mm |



| Name     | Foam roller           | Foam roller | Foam roller                |
|----------|-----------------------|-------------|----------------------------|
| Item     | LP8233                | LS3825      | LP8231                     |
| Weight   | 950g                  | 350g        | 700g                       |
| Material | Cover:EVA; Inner: PVC | EPP         | Cover: EVA; Inner: plastic |
| Size     | 450*115mm             | 450*150mm   | 330*130mm                  |
| Hardness | 45°                   | 44°         | 60°                        |



| Name     | Multi-purpose stretching mat | AB mat                 | AB mat                                               |
|----------|------------------------------|------------------------|------------------------------------------------------|
| Item     | LP8226                       | LP8345                 | LP8348                                               |
| Weight   | 4.3kg                        | 750g                   | 1.14kg                                               |
| Material | PVC                          | Cover: PVC; Inner: EPE | Cover: PVC; Inner: EPE                               |
| Size     | 1400*600*35mm                | 380*310*75mm           | Mat(front): 380*300*75mm<br>Mat(after): 370*300*25mm |

# Team and group training



## More than just a training pedal

Designed for group classes and gyms, it is equipped with storage space for gym equipment such as dumbbells, barbells, elastic bands, etc., making the fitness pedal not only a workout platform, but also a neat storage solution.


# Urethane barbell set

- High -quality polyurethane material, heat -resistant, wear -resistant, and does not hurt the ground and surrounding products.
- Blue printing at the grip to increase the grip of the hand.
- The double -hole design of the bell, which is easy to grasp when installing and disassembling.

LP8037



| Spec                        |                                                                  |
|-----------------------------|------------------------------------------------------------------|
| Includes                    | Bar*1/Barbell collar*2/ Plates 1.25kg*2, 2.5kg*2, 5kg*2          |
| Plate material              | Inner: iron, Cover: polyurethane                                 |
| Total weight                | 20kg                                                             |
| Bar length                  | 1420mm                                                           |
| Handle diamete              | 30mm                                                             |
| Sleeve length               | 220mm                                                            |
| Surface treatment of handle | Electrostatic powder coating<br>Intelligent printing of patterns |






## Rubber barbell set

- Using a dynamic color scheme to quickly identify weight.
- Anti-slip grip design.



| Spec            |                                                                |
|-----------------|----------------------------------------------------------------|
| 20kg Includes   | Bar*1/Barbell collar*2/ Plates 1.25kg*2, 2.5kg*2, 5kg*2        |
| 40kg Includes   | Bar*1/Barbell collar*2/ Plates 1.25kg*2, 2.5kg*2, 5kg*2,10kg*2 |
| Plate material  | Inner: iron, Cover: rubber                                     |
| Total weigh     | 20kg/40kg                                                      |
| Bar length      | Color bar 1400mm; Foam bar 1300mm                              |
| Handle diameter | 25mm                                                           |



## Classic barbell set

LP8035

- Plating treatment on the surface of the pole, not easy to rust on corrosion.
- 1.5mm Knurl, not only beautiful, but also increase hand grip and improve anti-slip.



| Spec           |                                                                | Handle diameter | 28mm                   |
|----------------|----------------------------------------------------------------|-----------------|------------------------|
| 20kg Includes  | Bar*1/Barbell collar*2/ Plates 1.25kg*2, 2.5kg*2, 5kg*2        | Total weight    | 20kg/40kg              |
| 40kg Includes  | Bar*1/Barbell collar*2/ Plates 1.25kg*2, 2.5kg*2, 5kg*2,10kg*2 | Bar length      | 1400mm (500+500+400mm) |
| Plate material | Inner: solid mixture, Cover:PE                                 |                 |                        |

# Multi-function deck

LP8246

- Multi-function pedal brings more creative thinking to pedal training courses. A pedal can be used in multiple uses. You can do pedal exercises, push-ups, dumbbell benches. It can also be equipped with tensilers for strength training and so on. Folding feet can be used to increase or decrease the height of the pedal. Adjust the differential angles of differential feet and experience different ways of exercise. A non-slip pad, the non-slip surface layer adds the stability of the pedal at the same time, making exercise safer and more professional.



| Spec                 |                    |
|----------------------|--------------------|
| Size                 | 1215*345*200-350mm |
| High                 | 200/350mm          |
| Back angle selection | 0-90°              |
| Weight               | 12.1kg             |
| Maximum load         | 150kg              |



- Storage**  
There is a perfect storage space here. You can place resistance bands, etc. to create a full-time training station.



- Intelligent grip**  
The texture of the pedal plane is different, which can meet the needs of hands or feet in specific areas.



- Any angle**  
The angle of the pedal back is adjusted through the hydraulic rod, which can be adjusted to any angle.

## Aerobic fitness step

LP8245

- PP board has good mechanical properties, strong impact resistance, and long-term use is not easy to damage.
- The surface TPE has a strong friction coefficient, a beautiful texture design, and increases the non-slip performance of the pedal.



| Spec             |                        |
|------------------|------------------------|
| Size             | 1010*375*150/200/250mm |
| Height selection | 150/200/250mm          |
| Weight           | 7.5kg                  |
| Maximum load     | 150kg                  |

# Livepro step

LP8244

- Livepro step exercises can be performed with stacked steps. Use a mini step foot to improve the height of more training. You can also set up a tilting angle for pedal practice. The stacked pedal is diverse and can be easily switched to the configuration during the training process.
- Use high-quality TPE material. The design of the surface pattern and the bottom pads are not only soft, but also can ensure solidarity and stability. Even if you move quickly, the pedal will not displacement.



| Spec           |                    |
|----------------|--------------------|
| Material       | TPE, PP            |
| Weight         | 9.3kg              |
| Size           | 1080*430*105-158mm |
| Mini step size | 430*430*98mm       |
| Maximum load   | 150kg              |



- Target training area**  
The precise target area can guide the correct position of the hands and feet to obtain a variety of challenges.



- Hot welding**  
The platform is not simply pasted on the surface of the pedal, but is more durable and non-slip through a stronger heat welding connection.



- Lock the connector**  
Low the blue machine into a line, and then press hard to lock the mini pedal foot and the pedal platform.

## Mini fitness step

LP8244-B-BU

- Eight locks on the surface, four buckles at the bottom.
- Infinite overlap, convenient assembly, and improve infinite fun.



| Spec         |              |
|--------------|--------------|
| Size         | 430*430*98mm |
| Weight       | 1.73kg       |
| Maximum load | 100kg        |

PRO-box 2.0

LP8863-E

- Hydraulic rods are adjusted at any back of the back.
- Wheel design is very convenient to move. It can be locked safely when not moving.



| Spec              |                                                                                       |
|-------------------|---------------------------------------------------------------------------------------|
| Structure         | 30*30*2.5mm steel pipe                                                                |
| Manufacturing     | MIG welding, Standard bolt                                                            |
| Land size         | 1396*420mm                                                                            |
| Surface treatment | Electrostatic powder coating                                                          |
| Weight            | 83kg                                                                                  |
| Compatibility     | Commercial dumbbells*6<br>Kettlebell*2/Slam ball*1<br>Resistance tube*2/Battle rope*1 |
| Adjustable angle  | 25/50/63/75/85°                                                                       |



| Name     | Weight bar                                          |
|----------|-----------------------------------------------------|
| Item     | LP8145                                              |
| Weight   | 2/3/4/5/6kg                                         |
| Material | Internal steel pipes<br>Foam grip, TPR of both ends |
| Length   | 1185mm                                              |



Trampoline with handle

LP8251

- It has a solid steel structure and safe design.The entire framework and support feet are composed of rust -proof and durable steel pipes.Added armrest design to facilitate grip during exercise and improve safety.The 6 supporting feet have protective rubber foot pads, which are effective and non -slip.High -elastic latex elastic band, strong toughness, super load.High -quality polyester mesh, strong and durable.

| Spec                     |                                                                   |                        |                            |
|--------------------------|-------------------------------------------------------------------|------------------------|----------------------------|
| Material                 | Steel frame, Polyester bomb jumping noodles<br>Latex elastic rope | Supporting foot height | 200mm                      |
| Weight                   | 7.5kg                                                             | Trampoline diamete     | 2000mm                     |
| Round tube diameter      | 28mm                                                              | Bullet width           | 1000mm                     |
| Supporting foot diameter | 25mm                                                              | Number of bombs        | Not less than 80,000 times |



Trampoline with handle

LP8250B

- 6 hole height adjustment, athletes can adjust the height of the handle according to different heights.
- Latex rope has good resilience, which is more beautiful and quieter than traditional springs.

| Spec                     |                                                                   |                        |                            |
|--------------------------|-------------------------------------------------------------------|------------------------|----------------------------|
| Material                 | Steel frame, Polyester bomb jumping noodles<br>Latex elastic rope | Supporting foot height | 200mm                      |
| Weight                   | 7.5kg                                                             | Trampoline diameter    | 1000mm                     |
| Round tube diameter      | 28mm                                                              | Bullet width           | 750mm                      |
| Supporting foot diameter | 25mm                                                              | Number of bombs        | Not less than 80,000 times |



Trampoline

LP8250

- Anti-slip rubber foot pads to ensure the stability of trampoline.
- The latex rope has good elasticity, which is more beautiful and mute than the traditional spring class.

| Spec                     |                                                                   |                        |                            |
|--------------------------|-------------------------------------------------------------------|------------------------|----------------------------|
| Material                 | Steel frame, Polyester bomb jumping noodles<br>Latex elastic rope | Supporting foot height | 200mm                      |
| Weight                   | 6.6kg                                                             | Trampoline diameter    | 1000mm                     |
| Round tube diameter      | 28mm                                                              | Bullet width           | 750mm                      |
| Supporting foot diameter | 25mm                                                              | Number of bombs        | Not less than 80,000 times |



# Personal training accessories



## Comprehensively improve the training effect and experience

These provide a comprehensive and efficient set of training tools for fitness enthusiasts and professional athletes. It solves the diverse training challenges under different training environments and needs. With these accessories, users can train effectively from anywhere, at any time, to achieve better fitness results.



## Knee wraps LP8724

- High-strength polyester & latex construction delivers robust support for knee protection during squats, deadlifts, and high-intensity training.
- Elastic latex material conforms to knee contours for a snug yet comfortable fit, ensuring unrestricted movement.
- Breathable polyester fabric provides lightweight ventilation for extended wear, with durable wear-resistance for versatile training scenarios.

| Spec     |                  |
|----------|------------------|
| Material | Polyester, Latex |
| Weight   | 375g             |
| Size     | 1700*80mm        |



## Wrist wraps LP8723

- Silicone grip strips enhance friction to secure barbells/dumbbells for max-weight breakthroughs.
- Military-grade polyester resists tearing/abrasion, enduring high-intensity training for years.
- Versatile assist for deadlifts, pull-ups, and rope climbs to boost strength/endurance.

| Spec     |                                  |
|----------|----------------------------------|
| Material | Polyester, Cotton, Silicone, SBR |
| Weight   | 60g                              |
| Size     | 280*50mm                         |



## Elbow wraps LP8725

- High-strength polyester & latex construction delivers reinforced elbow support for squats, deadlifts, and heavy training.
- Breathable polyester ensures all-day ventilation with tear-resistant durability for cross-training versatility.

| Spec     |                  |
|----------|------------------|
| Material | Polyester, Latex |
| Weight   | 265g             |
| Size     | 1100*80mm        |





| Name     | Lifting straps              | Power strap       | Power strap       |
|----------|-----------------------------|-------------------|-------------------|
| Item     | LP8092                      | LP8704            | LP8703            |
| Size     | One size fits all           | One size fits all | One size fits all |
| Material | 10% rubber<br>90% polyester | Polyester         | Leather, Silicone |

Lifting grips

LP8771

- Enhanced support for superior training performance.
- Adjustable design fits all hand sizes.
- Premium materials ensure durability and long-lasting use.

| Spec     |                        |
|----------|------------------------|
| Material | Rubber, SBR, Polyester |
| Weight   | 200g                   |
| Size     | S/M/L                  |



| Name     | Lifting wrist wraps | Lifting wrist wraps         | Lifting hooks       |
|----------|---------------------|-----------------------------|---------------------|
| Item     | LP8702              | LP8090                      | LP8721              |
| Size     | One size fits all   | One size fits all           | One size fits all   |
| Material | Cotton              | 35% rubber<br>65% polyester | Steel hook, PP, SBR |

Fitness grip pads

LP8722

- High-density material enhances grip strength and prevents palm slippage, ideal for high-intensity training.
- Ergonomic design contours to hand shape for natural movement and precise force application.
- Full workout protection for pull-ups, weightlifting, and machine training to help break performance limits.



| Spec     |                      |
|----------|----------------------|
| Material | Microfiber, Silicone |
| Weight   | 50g                  |
| Size     | One size fits all    |

Handle

LP8726

- Premium construction
- Knurled swivel handle
- Durable and comfortable webbing

| Spec     |                                      |
|----------|--------------------------------------|
| Material | Belt: polyester<br>Handle: aluminum  |
| Weight   | 510g                                 |
| Size     | Handle diameter:30mm<br>Length:135mm |



| Name     | Strap handle pro           | Multi function handles         | Fit hook handles                  | Handle grips                   |
|----------|----------------------------|--------------------------------|-----------------------------------|--------------------------------|
| Item     | LP8192J                    | LP8705                         | LP8706                            | LP8406                         |
| Size     | One size fits all          | One size fits all              | One size fits all                 | One size fits all              |
| Material | Belt: nylon<br>Handle: TPR | Belt: polyester<br>Handle: ABS | Belt: polyester<br>Handle: rubber | Belt: polyester<br>Handle: TPR |



| Name     | Barbell pad                     | Barbell pad                               | Training ankle straps | Ankle cuff        |
|----------|---------------------------------|-------------------------------------------|-----------------------|-------------------|
| Item     | LP8713                          | LP8093                                    | LP8711                | LP8712            |
| Size     | One size fits all               | One size fits all                         | One size fits all     | One size fits all |
| Material | Surface layer: PU<br>Inner: NBR | Surface layer: polyester<br>Inner: rubber | Polyester             | Polyester         |

Self-locking weight lifting belt

- Self-locking technology reduces the risk of injury during weightlifting.
- The self-locking buckle is easy to use and releases instantly when you pull the release roller.
- Competition standard, can be used in competitions.

| Spec     |       |
|----------|-------|
| Material | PP    |
| Weight   | 430g  |
| Size     | S/M/L |



| Name     | Weightlifting belt | Weightlifting belt             | Weight belt                                | Training belt                  |
|----------|--------------------|--------------------------------|--------------------------------------------|--------------------------------|
| Item     | LP8067             | LP8717                         | LP8098                                     | LP8716                         |
| Size     | M/L                | S/M/L                          | One size fits all                          | One size fits all              |
| Material | cowhide            | Belt: polyester<br>Lining: EVA | Belt: PU,Lining: EVA<br>Webbing: polyester | Belt: polyester<br>Steel chain |

Door anchor

- Made of selected polyester material, high strength, not easy to damage, strong and durable.
- Unbreakable foam pad cushioning, no damage to the door frame.
- No tools required, quick installation, suitable for a variety of scenarios at home and in the gym, start training anytime, anywhere.


| Spec     |                   |
|----------|-------------------|
| Material | Polyester         |
| Weight   | 180g              |
| Size     | One size fits all |



| Name     | Multi point door anchor | Door anchor       | AB straps handle               | AB sling          |
|----------|-------------------------|-------------------|--------------------------------|-------------------|
| Item     | LP8710                  | LP8709            | LP8714                         | LP8164            |
| Size     | One size fits all       | One size fits all | One size fits all              | One size fits all |
| Material | Polyester               | Polyester         | Belt: polyester<br>Handle: PVC | Polyester         |



| Name     | Fitness gloves                              | Knee support | Neck harness                     | Bench press band |
|----------|---------------------------------------------|--------------|----------------------------------|------------------|
| Item     | LP8260                                      | LP8730       | LP8715                           | LP8728           |
| Size     | M/L                                         | S/M/L        | One size fits all                | S/M/L            |
| Material | Back of hand: polyester<br>Palm: microfiber | SCR, Nylon   | Holder: polyester<br>Steel chain | Polyester, Latex |



## Sweat waist trimmer

- The sweat belt helps you sweat faster during workouts to achieve your perspiration goals.
- Its internal anti-slip and moisture-proof design provides excellent insulation, raising core temperature.
- Made of durable, machine-washable material for easy use and cleaning.
- A body-hugging design ensures comfortable and convenient wear.

LP8750



| Spec     |                |
|----------|----------------|
| Material | OK Fabric, SBR |
| Weight   | 260g           |
| Size     | 1250*195*5mm   |



## Lifting grips

- Stronger support and a superior training experience.
- Adjustable design to fit various hand sizes.
- Made of high-quality materials for durability and long-lasting use.

LP8758

| Spec     |                        |
|----------|------------------------|
| Material | Rubber, SBR, Polyester |
| Weight   | 130g                   |
| Size     | S/M/L                  |



## Weightlifting belt

LP8751

- Ergonomic design conforms to the body's natural shape, stabilizing core muscles.
- EVA widened belt provides firmer waist support and enhanced reinforcement.
- Heavy-duty steel buckle for easy adjustment and secure fastening.

| Spec     |                 |
|----------|-----------------|
| Material | PVC, EVA, Steel |
| Weight   | 400g            |
| Size     | S/M/L           |



## Weight lifting wrist wraps

LP8757

- Soft texture and refined appearance, resembling genuine leather, offering a comfortable and premium feel.
- Excellent wear resistance, capable of withstanding daily abrasions and scratches for long-lasting durability.
- Resistant to deformation or shrinkage.
- Easy to clean, requiring only simple routine maintenance.

| Spec     |                   |
|----------|-------------------|
| Material | Alcantara         |
| Weight   | 160g              |
| Size     | One size fits all |



## Lifting strap

LP8756


- Combines high-strength polyester with soft cotton for durability and skin-friendly comfort, delivering a secure and comfortable grip.
- Silicone-enhanced friction prevents barbell slippage.
- Supports squats, deadlifts, bench presses, and more—boosts overall strength performance.

| Spec     |                             |
|----------|-----------------------------|
| Material | Polyester, Cotton, Silicone |
| Weight   | 100g                        |
| Size     | 580*38mm                    |



| Name     | Lady ankle strap | Lady leg strap | Barbell pad | Hip thrust pad              |
|----------|------------------|----------------|-------------|-----------------------------|
| Item     | LP8754           | LP8755         | LP8752      | LP8753                      |
| Size     | 260*70mm         | 700*65mm       | 400*150mm   | One size fits all           |
| Material | SBR              | SBR, Polyester | PU, NBR     | Alcantara, EPP, EVA, Rubber |





Wrist strap

- High-strength polyester blended with soft cotton offers skin-friendly breathability, keeping you cool during extended wear for more comfortable training.
- Silicone anti-slip strips combined with SBR material enhance grip and prevent equipment slippage.
- Lightweight design contours to wrist curves for a comfortable, flexible fit during workouts.



| Spec     |                                  |
|----------|----------------------------------|
| Material | Polyester, Cotton, Silicone, SBR |
| Weight   | 175g                             |
| Size     | 390*240mm                        |



| Name     | Power strap        | Power strap | Ankle strap |
|----------|--------------------|-------------|-------------|
| Item     | LP8775             | LP8772      | LP8777      |
| Size     | 850*75mm           | 260*30mm    | 260*80mm    |
| Material | Cotton, Microfiber | Leather     | Microfiber  |

Knee support

- Made of 7mm thick durable rubber for strong support and knee protection.
- High-quality nylon fabric, lightweight and breathable.
- Effectively disperses knee pressure, reduces exercise impact, and lowers injury risk.



| Spec     |                      |
|----------|----------------------|
| Material | SCR, Nylon, Silicone |
| Weight   | 260g                 |
| Size     | S/M/ L/XL            |



Lifting grips


- Non-slip rubber base combined with soft suede surface offers a comfortable and secure grip.
- Three sizes available for a perfect fit with different hand shapes.
- Made of high-strength rubber, wear-resistant and tear-proof, ideal for intense training and long-lasting durability without deformation.

| Spec     |                  |
|----------|------------------|
| Material | Rubber, Acantara |
| Weight   | 155g             |
| Size     | S/M/ L           |



| Name     | Weightlifting belt        | Preacher pad | Creativity gym bag |
|----------|---------------------------|--------------|--------------------|
| Item     | LP8778                    | LP8779       | LP8780             |
| Size     | 800*100/860*100/920*100mm | 630*350mm    | 290mm              |
| Material | PVC, Polyester, EVA       | EPE, PVC     | Oxford cloth       |

# Boxing gear



## Sliding sandbag track system

Tracks are the ideal solution for manipulating sandbags between the gym’s storage room and the available space. The track can be fixed to the ground, walls, and top surfaces, and can also be turned 90 degrees, which saves the hard work of moving sandbags and saves and utilizes space when the sandbags are not in use.

## Aqua boxing bag

LP8606

- Imitate the real touch of the human body.
- Effectively absorb fist hitting force to protect the joints of the hand.
- High-quality PVC materials, resistance to strike.
- Stainless steel with width unload fixation.
- Easy to store and carry.



| Spec              |                                     |
|-------------------|-------------------------------------|
| Material          | PVC                                 |
| Weight            | 4kg                                 |
| Maximum capacity  | 30kg                                |
| Iron chain length | 1000mm                              |
| Includes          | 1 water ball<br>1 irrigation device |



| Name      | Boxing gloves                   | Boxer hand target                                              | Boxing foot target                                             |
|-----------|---------------------------------|----------------------------------------------------------------|----------------------------------------------------------------|
| Item      | LP8600                          | LP8604                                                         | LP8603                                                         |
| Dimension | 10/12/14OZ                      | One size fits all                                              | One size fits all                                              |
| Material  | Cover: PU; Inside: EPE          | PVC on the palm and sides<br>PU on the back, EPE on the inside | PVC on the palm and sides<br>PU on the back, EPE on the inside |
| Size      | 260*150mm, 270*155mm, 280*160mm | 240*180*50mm                                                   | 410*210*110mm                                                  |



| Name      | Mouth guard       | Hand strap        | Instep protector                                 |
|-----------|-------------------|-------------------|--------------------------------------------------|
| Item      | LP8609            | LP8605            | LP8625                                           |
| Dimension | One size fits all | One size fits all | S/M/L/XL                                         |
| Material  | EVA               | Wool              | Main: polyester<br>Backfill: EVA; Elastic rubber |
| Size      | 57*47*20mm        | 3000*50mm         | 330*115mm, 320*100mm                             |

IT'S NOT JUST  
BOXING

IT'S ART



## Boxing stand

- Digital marking boxing positions make training more effective.
- The bottom irrigation is increased and more stable. Even if it is fierce, it is not easy to displacement.

LP8632



| Spec        |                                        |
|-------------|----------------------------------------|
| Material    | PVC; Internal: PE tube<br>Filling: EPE |
| Weight      | 15.5kg                                 |
| Base height | 350mm                                  |
| Size        | 1800*700mm                             |



## Punching bag

LP8602

- Fill the cotton gauze rubber particles evenly to ensure stable center of gravity.
- Bold double -row stitching, firm and safer. The steel -made triangular hook and hanging chain make it rust and durable.

| Spec      |                                                   |
|-----------|---------------------------------------------------|
| Materials | Steel chain, Cover PVC<br>Polyester fiber filling |
| Size      | 350*350*1500mm                                    |
| Weight    | 45kg                                              |



## Boxing target

LP8608

- Add water to the base to achieve maximum stability
- Simulation of real hit scenes

| Spec                     |                          |
|--------------------------|--------------------------|
| Material                 | PP; Ball: PU; Steel pipe |
| Weight                   | 11kg                     |
| Size                     | 500*1600-2200mm          |
| Main steel pipe diameter | 42mm                     |





Boxing bag hook

| Name     |              | Boxing bag hook |
|----------|--------------|-----------------|
| Item     | LP8623       | LP8622          |
| Weight   | 0.4kg        | 4.8kg           |
| Material | Carbon steel | Iron            |
| Load     | 100kg        | 100kg           |
| Size     | 120*40*84mm  | 1020*821*516mm  |



Boxing bag hook

## Wall mount trolley rack LP6302A

- With boxing sandbags and boxing water bottle, it is mainly used to conduct hard training.
- When you worry about how to configure the boxing area or hang a sandbag and water bag without a place. Our LP6302 series boxing track system solves this problem well.

| Spec       |                 |
|------------|-----------------|
| Material   | Carbon steel    |
| Land size  | 7672*3672*985mm |
| Steel size | 50*50*3mm       |



## Wall mount trolley rack LP6302B

- With boxing sandbags and boxing water bottle, it is mainly used to conduct hard training.
- When you worry about how to configure the boxing area or hang a sandbag and water bag without a place. Our LP6302 series boxing track system solves this problem well.

| Spec       |                |
|------------|----------------|
| Material   | Carbon steel   |
| Land size  | 6030*991*985mm |
| Steel size | 50*80*3mm      |



## Ceiling mount LP6302D

- With boxing sandbags and boxing water bottle, it is mainly used to conduct hard training.
- When you worry about how to configure the boxing area or hang a sandbag and water bag without a place. Our LP6302 series boxing track system solves this problem well.

| Spec       |                |
|------------|----------------|
| Material   | Carbon steel   |
| Land size  | 6030*991*985mm |
| Steel size | 50*50*3mm      |



## Ceiling mount LP6302E

- With boxing sandbags and boxing water bottle, it is mainly used to conduct hard training.
- When you worry about how to configure the boxing area or hang a sandbag and water bag without a place. Our LP6302 series boxing track system solves this problem well.

| Spec       |                |
|------------|----------------|
| Material   | Carbon steel   |
| Land size  | 6012*250*425mm |
| Steel size | 50*50*3mm      |



## Floor mount LP6302C

- With boxing sandbags and boxing water bottle, it is mainly used to conduct hard training.
- When you worry about how to configure the boxing area or hang a sandbag and water bag without a place. Our LP6302 series boxing track system solves this problem well.

| Spec         |                            |
|--------------|----------------------------|
| Material     | Carbon steel               |
| Land size    | 6050*1041*2511mm           |
| Product size | 100*100*2.5mm<br>50*80*3mm |



## Boxing bag rack LP6300

- Freely customized size according to the size of the venue.
- Holds up to 6 people for boxing training at the same time.

| Spec       |                  |
|------------|------------------|
| Material   | Carbon steel     |
| Land size  | 3690*1950*2500mm |
| Steel size | 80*80*3mm        |



## Boxing bag rack LP6301

- Use with boxing sandbags and water bottle for boxing power training.
- When you are worried that there are no sandbags and water bags in the venue, the livepro boxing rack can solve this problem well.
- Can accommodate three people for boxing training at the same time.
- Made of pure steel, sturdy and durable, the bottom triangle structure, which can be stable during the training process.

| Spec       |                            |
|------------|----------------------------|
| Material   | Carbon steel               |
| Land size  | 3700*1000*2610mm           |
| Steel size | 100*200*4mm<br>100*100*3mm |



# Storage rack



## "Retrieval, usage, storage" – an integrated and indivisible storage system

For years, the fitness industry has witnessed continuous innovation in training equipment while storage solutions remained overlooked – people excel at initiating new things but often neglect proper completion. Yet the process of "retrieval, usage, storage" constitutes an integral and inseparable training ecosystem. We've fundamentally reengineered our shelving system, creating versatile shelving panels that seamlessly adapt to all rack configurations including single-post freestanding, single-post wall-mounted, double-post freestanding and panel-mounted systems. Each rack design serves specific spatial requirements while each panel variation accommodates different storage needs, together forming a truly intelligent storage solution for modern training facilities.



| Name                | 15 pairs dumbbell rack                                                                 | 10 pairs dumbbell rack                                                                 | 5 pairs dumbbell rack                                                                  |
|---------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| Item                | LP8903                                                                                 | LP8901                                                                                 | LP8902                                                                                 |
| Land size           | 2450*1040*990mm                                                                        | 2450*840*830mm                                                                         | 1300*840*830mm                                                                         |
| Frame structure     | Heavy duty 76*76*2mm round pipe                                                        | Heavy duty 76*76*2mm round pipe                                                        | Heavy duty 76*76*2mm round pipe                                                        |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt                                                 | MIG welding<br>8.8 grade standard bolt                                                 | MIG welding<br>8.8 grade standard bolt                                                 |
| Compatibility       | Most suitable for storing round headed dumbbells                                       | Most suitable for storing round headed dumbbells                                       | Most suitable for storing round headed dumbbells                                       |
| Ergonomics          | The tray is at a certain angle and tilted forward, making it easy to pick up and place | The tray is at a certain angle and tilted forward, making it easy to pick up and place | The tray is at a certain angle and tilted forward, making it easy to pick up and place |
| Surface treatment   | Electrostatic powder coating                                                           | Electrostatic powder coating                                                           | Electrostatic powder coating                                                           |
| Weight              | 85kg                                                                                   | 60kg                                                                                   | 39kg                                                                                   |
| Assemble            | Assembly required<br>Dumbbells not included                                            | Assembly required<br>Dumbbells not included                                            | Assembly required<br>Dumbbells not included                                            |



| Name                | 3 tier storage rack                           | 2 tier kettlebell rack                      | Dumbbell tree                                                | Dumbbell tree                                                |
|---------------------|-----------------------------------------------|---------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|
| Item                | LP8906                                        | LP8905                                      | LP8860                                                       | LP8864                                                       |
| Land size           | 2040*840*810mm                                | 1310*800*815mm                              | 490*490*1320mm                                               | 609*519*1356mm                                               |
| Frame structure     | Heavy duty 76*76*2mm round pipe               | Heavy duty 76*76*2mm round pipe             | Tube thickness: 2mm                                          | 100*50*2.0mm Square tube                                     |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt        | MIG welding<br>8.8 grade standard bolt      | MIG welding<br>8.8 grade standard bolt                       | MIG welding<br>8.8 grade standard bolt                       |
| Compatibility       | Most suitable for kettlebells                 | Most suitable for kettlebells               | Suitable for various types of dumbbells                      | Compatible with 1-10kg dumbbells                             |
| Surface treatment   | Electrostatic powder coating                  | Electrostatic powder coating                | Black plastic powder spraying and high-temperature treatment | Black plastic powder spraying and high-temperature treatment |
| Weight              | 105kg                                         | 43kg                                        | 35kg                                                         | 36.55kg                                                      |
| Assemble            | Assembly required<br>Kettlebells not included | Assembly required<br>Dumbbells not included | Assembly required<br>Dumbbells not included                  | Assembly required<br>Dumbbells not included                  |



| Name                | 5 barbell rack                         | 10 barbell rack                        | 10 pumpset rack                                          | Folding wall rack                          |
|---------------------|----------------------------------------|----------------------------------------|----------------------------------------------------------|--------------------------------------------|
| Item                | LP8852                                 | LP8853                                 | LP8826                                                   | LP8890                                     |
| Land size           | 850*705*131mm                          | 830*850*1250mm                         | 906*959*1363mm                                           | 1500*1150*2310mm                           |
| Frame structure     | Heavy duty 76*76*2mm round pipe        | Heavy duty 76*76*2mm round pipe        | Oval tube80*40*1.5mm                                     | Heavy duty 750*750*25mm square tube        |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt | MIG welding<br>8.8 grade standard bolt | MIG welding<br>8.8 grade standard bolt                   | MIG welding<br>8.8 grade standard bolt     |
| Compatibility       | Store 5 bars                           | Store 10 bars                          | 10 sets of barbell sets                                  | Store 2 sets of barbells                   |
| Surface treatment   | Electrostatic powder coating           | Electrostatic powder coating           | Black matte spray coating and high-temperature treatment | Electrostatic powder coating               |
| Weight              | 26.8kg                                 | 38kg                                   | 32kg                                                     | 105kg                                      |
| Assemble            | Assembly required<br>Bars not included | Assembly required<br>Bars not included | Assembly required<br>Displayed products not included     | Assembly required<br>Barbells not included |



| Name                | Plate rack                                               | Plate & barbell storage rack                             | Vertical plate hanger                                    |
|---------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|
| Item                | LP8904                                                   | LP8224                                                   | LP8893                                                   |
| Land size           | 890*670*1050mm                                           | 1178*939*1029mm                                          | 64*247*1200mm                                            |
| Frame structure     | Heavy duty76*76*2mm round pipe                           | Round tube 76*76*2mm<br>Oval tube 80*40*2mm              | Main board material<br>1200*60*10mm                      |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt                   | MIG welding<br>8.8 grade standard bolt                   | MIG welding<br>8.8 grade standard bolt                   |
| Barbell sleeve      | 7                                                        | 8                                                        | 3                                                        |
| Compatibility       | Suitable for rubber plate                                | Suitable for various types of plates and bars            | Suitable for rubber plate                                |
| Surface treatment   | Black matte spray coating and high-temperature treatment | Black matte spray coating and high-temperature treatment | Black matte spray coating and high-temperature treatment |
| Weight              | 28kg                                                     | 34.7kg                                                   | 9kg                                                      |
| Assemble            | Assembly required<br>Plates not included                 | Assembly required<br>Plates not included                 | Assembly required<br>Plates not included                 |




| Name                | Plate and bar storage set                                    | Horizontal plate rack                                        | Vertical plate and bar tree                                  |
|---------------------|--------------------------------------------------------------|--------------------------------------------------------------|--------------------------------------------------------------|
| Item                | LP8894                                                       | LP8900                                                       | LP8851                                                       |
| Land size           | 1000*401*180.9mm                                             | 1430*390*315mm                                               | 680*665*1310mm                                               |
| Frame structure     | Pipe diameter: 60mm<br>Thickness: 25mm                       | Reinforcement diameter: 10mm                                 | Heavy duty76*76*2mm round pipe                               |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt                       | MIG welding<br>8.8 grade standard bolt                       | MIG welding<br>8.8 grade standard bolt                       |
| Barbell sleeve      | 6                                                            | Big storage: 5 cells<br>Small storage: 6 cells               | 6                                                            |
| Compatibility       | Suitable for various types of plates and bars                | Suitable for various sizes of plates                         | Suitable for rubber plate                                    |
| Surface treatment   | Black plastic powder spraying and high-temperature treatment | Black plastic powder spraying and high-temperature treatment | Black plastic powder spraying and high-temperature treatment |
| Weight              | 28kg                                                         | 12kg                                                         | 24kg                                                         |
| Assemble            | Assembly required<br>Plates or bars not included             | Assembly required<br>Plates not included                     | Assembly required<br>Plates not included                     |



| Name                | Bar rack                                                 | 6 bar gun rack                                           | 9 bar holder                                             | Vertical bar hanger                                      |
|---------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------|
| Item                | LP6488                                                   | LP8812                                                   | LP8874                                                   | LP8891                                                   |
| Size                | 450*75*140mm                                             | 980mm                                                    | 440*440*165mm                                            | 870*1060*3200mm                                          |
| Frame structure     | Sheet metal 6mm                                          | —                                                        | 6.5mm pipe material                                      | Motherboard 6mm                                          |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt                   | MIG welding<br>8.8 grade standard bolt                   | MIG welding<br>8.8 grade standard bolt                   | MIG welding<br>8.8 grade standard bolt                   |
| Compatibility       | Store 3 bars                                             | Store 6 bars                                             | Store 9 bars                                             | Store 3 bars                                             |
| Surface treatment   | Black matte spray coating and high-temperature treatment | Black matte spray coating and high-temperature treatment | Black matte spray coating and high-temperature treatment | Black matte spray coating and high-temperature treatment |
| Weight              | 6.6kg                                                    | 9.5kg                                                    | 21kg                                                     | 6.5kg                                                    |
| Assemble            | Assembly required<br>Bars not included                   | Assembly required<br>Bars not included                   | Assembly required<br>Bars not included                   | Assembly required<br>Bars not included                   |



| Name                | Brackets-medball storage                                    | 5 medicine ball rack                                        | 10 medicine ball rack                                       |
|---------------------|-------------------------------------------------------------|-------------------------------------------------------------|-------------------------------------------------------------|
| Item                | LP8892                                                      | LP8822                                                      | LP8823                                                      |
| Land size           | 1250*375*973mm                                              | 630*838*1545mm                                              | 630*748*1545mm                                              |
| Frame structure     | Support tube diameter 25mm<br>Wall thickness 2.5mm          | Round tube76*76*3mm<br>Oval tube100*50*2mm                  | Round tube76*76*3mm<br>Oval tube100*50*2mm                  |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt                      | MIG welding<br>8.8 grade standard bolt                      | MIG welding<br>8.8 grade standard bolt                      |
| Compatibility       | 8 wall balls                                                | 5 wall balls                                                | 10 wall balls                                               |
| Surface treatment   | Black matte spray coating and<br>high-temperature treatment | Black matte spray coating and<br>high-temperature treatment | Black matte spray coating and<br>high-temperature treatment |
| Weight              | 48kg                                                        | 23.5kg                                                      | 25kg                                                        |
| Assemble            | Assembly required<br>Medicine balls not included            | Assembly required<br>Medicine balls not included            | Assembly required<br>Medicine balls not included            |



| Name                | Storage rack                                                                                          | Storage rack                                                                                       | Power bag rack                                              |
|---------------------|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-------------------------------------------------------------|
| Item                | LP8897                                                                                                | LP8875                                                                                             | LP8802                                                      |
| Land size           | 1565*766*1974mm                                                                                       | 550*600*1800mm                                                                                     | 660*760*1455mm                                              |
| Frame structure     | Main pipe size 70*50*2mm                                                                              | Pipe thickness 3mm                                                                                 | Tube40*80*1.5mm                                             |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt                                                                | MIG welding<br>8.8 grade standard bolt                                                             | MIG welding<br>8.8 grade standard bolt                      |
| Compatibility       | Placing 6 medicine balls,<br>3 yoga balls, and other hanging<br>products and placing several products | Used to store various<br>fitness equipment such as yoga balls,<br>massage balls, foam rollers, etc | 5 power bags                                                |
| Surface treatment   | Black plastic powder spraying                                                                         | Black plastic powder spraying                                                                      | Black matte spray coating and<br>high-temperature treatment |
| Weight              | 73kg                                                                                                  | 68kg                                                                                               | 20.5kg                                                      |
| Assemble            | Assembly required<br>Displayed products not included                                                  | Assembly required<br>Displayed products not included                                               | Assembly required<br>Power bags not included                |



| Name                | 10 medicine ball rack                                       | Wall ball rack                                              | Ball rack                                    |
|---------------------|-------------------------------------------------------------|-------------------------------------------------------------|----------------------------------------------|
| Item                | LP8806                                                      | LP8811                                                      | LP8858                                       |
| Land size           | 370*560*1410mm                                              | 660*760*1730mm                                              | 1198*1198*1494mm                             |
| Frame structure     | Tube40*80*1.5mm                                             | Tube40*80*1.5mm                                             | 50*50*2mm round tube                         |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt                      | MIG welding<br>8.8 grade standard bolt                      | MIG welding<br>8.8 grade standard bolt       |
| Compatibility       | 10 medicine balls                                           | 5 medicine balls                                            | 9 yoga balls                                 |
| Surface treatment   | Black matte spray coating and<br>high-temperature treatment | Black matte spray coating and<br>high-temperature treatment | Black plastic<br>powder spraying             |
| Weight              | 11.5kg                                                      | 21.7kg                                                      | 22.9kg                                       |
| Assemble            | Assembly required<br>Medicine balls not included            | Assembly required<br>Medicine balls not included            | Assembly required<br>Yoga balls not included |



| Name                | Mats hanger                            | Mats rack                               | Multi-use hanger                                                   |
|---------------------|----------------------------------------|-----------------------------------------|--------------------------------------------------------------------|
| Item                | LP8815                                 | LP8814                                  | LP8817                                                             |
| Land size           | 695*260*60mm                           | 740*740*2070mm                          | 600*125*169mm                                                      |
| Frame structure     | 6mm board                              | Heavy duty pipe<br>38*38*1.5mm          | 6mm board                                                          |
| Frame manufacturing | MIG welding<br>8.8 grade standard bolt | MIG welding<br>8.8 grade standard bolt  | MIG welding<br>8.8 grade standard bolt                             |
| Compatibility       | Hangable<br>training mats, etc         | Double sided suspension<br>training mat | Used for storing belt skipping<br>ropes, elastic bands, etc        |
| Surface treatment   | Black plastic powder spraying          | Black plastic powder spraying           | Black plastic powder<br>spraying and<br>high-temperature treatment |
| Weight              | 1.8kg                                  | 13kg                                    | 4.1kg                                                              |
| Assemble            | Assembly required<br>Mats not included | Assembly required<br>Mats not included  | Assembly required<br>Bands not included                            |


Lan qi storage rack

NEW

LP8869

- Lan Qi weapon rack—A traditional Chinese weapon storage rack. It can be used for both storage and display, and is easy to take out.

| Spec           |                          |
|----------------|--------------------------|
| Material       | Q235-A                   |
| Surface        | Powder coating           |
| Size           | 1775/2275/2775*600*265mm |
| Protective pad | Polypropylene sleeve     |
| Includes       | Lan qi storage rack*1    |
| Weight         | 25/28/31kg               |



Vertical bar storage

LP8867

- Provides adequate strength and protection during barbell sliding. Rubber layer cushioning on top and embedded stainless steel ring provides edge strength.
- The compact design is suitable for most usage scenarios.

| Spec     |                           |                |                |
|----------|---------------------------|----------------|----------------|
| Material | Q235, SUS304, Rubber      | Protective pad | 3mm rubber     |
| Surface  | Natural wood with varnish | Compatibility  | Ø50mm          |
| Size     | 550*550*205mm             | Includes       | Storage rack*1 |
| Weight   | 40kg                      |                |                |



Dumbbell rack

LP8911

- The new design of the plate dumbbell rack, the newest member of our modular family, offers a solution for individualized, compact storage space planning.
- Special rubber dumbbell saddle.


| Spec     |                |          |                 |
|----------|----------------|----------|-----------------|
| Material | Q235-A         | Weight   | 70kg            |
| Surface  | Powder coating | Includes | Dumbbell rack*1 |
| Size     | 1160*620*690mm |          |                 |



Kettlebell rack

LP8912

- The newly designed plate kettlebell rack is the newest member of our modular family. It offers a solution in terms of intensive storage space planning in line with individualization.
- The 3mm cushioning is more than adequate for weight storage.



| Spec     |                |          |                   |
|----------|----------------|----------|-------------------|
| Material | Q235-A         | Weight   | 78Kg              |
| Surface  | Powder coating | Includes | Kettlebell rack*1 |
| Size     | 1160*620*690mm |          |                   |

Weightlifting plate rack

LP8882

- The design facilitates the systematic storage of plates. This is because the dimensions of each slot are specifically designed to accommodate plates pieces of different widths. Ensures that the plates are securely stored in the proper location.
- The storage unit can accommodate a complete set of weight plates including two 25kg plates, three 20kg plates, four 15kg plates, four 10kg plates, one pair each of plates ranging from 5kg down to 0.5kg, plus two clamp collars - keeping all your weightlifting equipment neatly organized for efficient training setup.

| Spec     |                |          |                            |
|----------|----------------|----------|----------------------------|
| Material | Q235-A         | Weight   | 26kg                       |
| Surface  | Black matte    | Includes | Weightlifting plate rack*1 |
| Size     | 1281*450*263mm |          |                            |



DB & KB rack

LP8910

- Storage units can be constructed as self-contained units to help divide the space. Storage space can be accessed from both sides via the Hole Plate Attachment for storing training tools, replacement plate appliances, etc.
- Storage racks can be placed against a wall to maximize floor space according to facility needs.

| Spec     |                 |               |                                 |
|----------|-----------------|---------------|---------------------------------|
| Material | Q235-A          | Weight        | 366kg                           |
| Surface  | Powder coating  | Compatibility | Single pillar/Twin-pillar/Plate |
| Size     | 4415*820*1140mm | Includes      | DB & KB rack*1                  |




# Storage system [GAINS]



GAINS is LIVEPRO'S new storage solution brand. Nowadays, sports spaces come in various sizes and designs, but there is a common goal - to effectively maximize space utilization and exercise functions. Equipment placement, safety, and space saving are important. The GAIN [S] system can reserve storage space while activating other systems. The Gain [S] storage and suspension system adopts a modular design, which is very suitable for use in group studios, dynamic training areas, and private education stretching areas.

## Peculiarity



## Advantage



### Higher strength

The integration of each frame and storage rack is carefully designed. High quality steel is selected, and automobile painting process is adopted, which is highly rustproof and corrosion resistant. It can provide significant value in terms of function, finish, or service life.



### Easy to install

Free installation, unrestricted connection. It supports rapid transition from one sports device to another.



### Intelligent storage

Each storage bay is optimized to accommodate larger devices with a smaller footprint. The storage rack allows for more training extensions and has gained more training functionality.

Single storage rack

GS/SS

| Contain                                                                                                                                                                                                                      |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <div><div><div>• Wall ball (x4)</div><div>• Urethane competition kettlebell (x5)</div><div>• 12-Sided urethane dumbbells (x6)</div></div><div><div>• Livepro form roller (x2)</div><div>• Form roller (x2)</div></div></div> |                 |
| Spec                                                                                                                                                                                                                         |                 |
| Size of equipment                                                                                                                                                                                                            | 1450*580*2309mm |
| Training area                                                                                                                                                                                                                | 2500*2100mm     |
| Number of users                                                                                                                                                                                                              | 5               |



Double simple storage rack

GS/DS-1

| Contain                                                                                                                                                      |                 |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <div><div><div>• 12-Sided urethane dumbbells (x14)</div><div>• Urethane competition kettlebell (x10)</div></div><div><div>• Wall ball (x6)</div></div></div> |                 |
| Spec                                                                                                                                                         |                 |
| Size of equipment                                                                                                                                            | 2564*508*1392mm |
| Training area                                                                                                                                                | 3600*2000mm     |
| Number of users                                                                                                                                              | 10              |



Triple simple storage rack

GS/TS




| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <div><div><div>• Wall ball (x3)</div><div>• Urethane competition kettlebell (x5)</div><div>• 12-Sided urethane dumbbells (x12)</div><div>• Double grip medicine ball (x4)</div><div>• Agility cone (x2)</div><div>• Quick cones (x1)</div><div>• Agility dot (x1)</div></div><div><div>• Eva foam roller (x1)</div><div>• Livepro form roller (x2)</div><div>• Form roller (x2)</div><div>• Foot massage ball (x6)</div><div>• Peanut massage ball (x2)</div><div>• Target massage ball (x2)</div></div></div> |  |

| Spec              |                 |
|-------------------|-----------------|
| Size of equipment | 3771*508*1798mm |
| Training area     | 5000*2000mm     |
| Number of users   | 13              |

Storage rack

GS/SR



| Contain                                                                                                                                                                                                                                                                                                                                                                                                            |  |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <div><div><div>• Hanging core mat (x10)</div><div>• Power barbells(x3)</div><div>• Anti-burst core-fit exercise ball (x2)</div><div>• Performance roller(x3)</div><div>• Steel competition kettlebell(x6)</div><div>• Bulgarian bag(x5)</div><div>• Balance pad(x4)</div></div><div><div>• Massage ball</div><div>• Solid medicine ball(x8)</div><div>• Wall ball(x5)</div><div>• Power band(x2)</div></div></div> |  |

| Spec              |                 |
|-------------------|-----------------|
| Size of equipment | 5000*350*2400mm |
| Training area     | 5900*1550mm     |
| Number of users   | 15              |

Single suspension storage rack

GS/SB-1

| Contain                                                                                                                                                                                                                      |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <div><div><div>• Wall ball (x4)</div><div>• 12-Sided urethane dumbbells (x6)</div><div>• Livepro foam roller (x2)</div></div><div><div>• Foam roller (x2)</div><div>• Urethane competition kettlebell (x5)</div></div></div> |                 |
| Spec                                                                                                                                                                                                                         |                 |
| Size of equipment                                                                                                                                                                                                            | 1450*954*2451mm |
| Training area                                                                                                                                                                                                                | 2500*1500mm     |
| Number of users                                                                                                                                                                                                              | 7               |



Single double hanging suspension storage rack

GS/SB-2

| Contain                                                                                                                                                                                                                                                     |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Medicine ball (x4)</div><div>• Urethane competition kettlebell (x5)</div><div>• 12-Sided urethane dumbbells (x6)</div></div><div><div>• Wall ball (x3)</div><div>• Super band (x4)</div><div>• Hanging training mat (x2)</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                        |                  |
| Size of equipment                                                                                                                                                                                                                                           | 1677*1350*2455mm |
| Training area                                                                                                                                                                                                                                               | 2800*2600mm      |
| Number of users                                                                                                                                                                                                                                             | 14               |



Double suspension storage rack

GS/DB

| Contain                                                                                                                                                                                                                                                                                                  |                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Bulgarian bag (x2)</div><div>• Power bag (x2)</div><div>• Training barrel (x2)</div><div>• Medicine ball (x4)</div></div><div><div>• Anti-burst core ball (x2)</div><div>• Wall ball (x3)</div><div>• Double grip medicine ball (x5)</div><div>• Balance trainer (x4)</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                                                                     |                  |
| Size of equipment                                                                                                                                                                                                                                                                                        | 2750*1010*2451mm |
| Training area                                                                                                                                                                                                                                                                                            | 3700*2500mm      |
| Number of users                                                                                                                                                                                                                                                                                          | 13               |



Triple suspension storage rack

GS/TB-1

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                  |                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Bulgarian bag(x2)</div><div>• Power bag (x2)</div><div>• Training barrel (x2)</div><div>• Urethane competition kettlebell (x5)</div><div>• Hanging training mat (x2)</div><div>• Super band (x2)</div></div><div><div>• 12-Sided urethane dumbbells (x6)</div><div>• Anti-burst core ball (x2)</div><div>• Wall ball (x3)</div><div>• Double grip medicine ball (x5)</div><div>• Balance trainer (x4)</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                                                                                                                                                                                                     |                  |
| Size of equipment                                                                                                                                                                                                                                                                                                                                                                                                                        | 4050*1164*2451mm |
| Training area                                                                                                                                                                                                                                                                                                                                                                                                                            | 5000*2600mm      |
| Number of users                                                                                                                                                                                                                                                                                                                                                                                                                          | 19               |



Quadruple suspension storage rack

GS/QAB



| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Bulgarian bag(x2)</div><div>• Power bag (x2)</div><div>• Training barrel (x2)</div><div>• Hanging training mat (x2)</div><div>• Super band (x2)</div><div>• Lateral endurance hurdle (x2)</div><div>• Anti-burst core ball (x2)</div><div>• Wall ball (x3)</div><div>• Double grip medicine ball (x5)</div></div><div><div>• Urethane competition kettlebell (x10)</div><div>• Balance trainer (x4)</div><div>• Livepro foam roller (x2)</div><div>• Foam roller (x2)</div><div>• Foot massage ball (x6)</div><div>• Peanut massage ball (x2)</div><div>• Target massage ball (x2)</div><div>• Quick cones (x1)</div><div>• Agility cone (x2)</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                  |
| Size of equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 5350*1164*2451mm |
| Training Area                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 6300*2600mm      |
| Number of users                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 25               |

## Five suspension storage rack

GS/QIB



Contain

- Bulgarian bag(x2)
- Power bag (x2)
- Training barrel (x2)
- Hanging training mat (x4)
- Super band (x4)
- Lateral endurance hurdle (x2)
- Anti-burst core ball (x2)
- Wall ball (x3)
- Double grip medicine ball (x5)
- Urethane competition kettlebell (x10)
- 12-Sided urethane dumbbells (x6)
- Balance trainer (x4)
- Livepro foam roller (x2)
- Foam roller (x2)
- Foot massage ball (x6)
- Peanut massage ball (x2)
- Target massage ball (x2)
- Quick cones (x1)
- Agility cone (x2)

Spec

|                   |                  |
|-------------------|------------------|
| Size of equipment | 6650*1162*2451mm |
| Training area     | 7600*2600mm      |
| Number of users   | 31               |

## Double corner suspension storage rack

GS/DC

Contain

- Anti-burst core ball (x2)
- Wall ball (x3)
- Double grip medicine ball (x5)
- Quick cones (x1)
- Agility cone (x2)
- Agility dot (x2)
- Super band (x4)
- Hanging training mat (x2)
- Urethane competition kettlebell (x5)
- 12-Sided urethane dumbbells (x6)

Spec

|                   |                  |
|-------------------|------------------|
| Size of equipment | 1999*1999*2451mm |
| Training area     | 4000*4000mm      |
| Number of users   | 13               |



## Triple corner suspension storage rack

GS-FC-L

Contain

- Wall ball (x6)
- Urethane competition kettlebell (x5)
- 12-Sided urethane dumbbells (x6)
- Double grip medicine ball (x5)
- Agility cone (x2)
- Quick cones (x1)
- Agility dot (x2)
- Balance trainer (x4)
- Bulgarian bag (x4)
- Medicine ball (x5)
- Hanging training mat (x2)
- Anti-burst core ball (x4)

Spec

|                   |                  |
|-------------------|------------------|
| Size of equipment | 3299*1999*2451mm |
| Training area     | 5200*4000mm      |
| Number of users   | 18               |



## Squat storage

GS/SRS-L



Contain

- Double grip medicine ball (x4)
- Wall ball (x3)
- Steel competition kettlebell (x5)
- Hanging core mat
- Performance roller (x1)
- Power band
- 12-Sided urethane dumbbells (x6)
- Barbell
- Urethane training plates with grip

Spec

|                   |                  |
|-------------------|------------------|
| Size of equipment | 3950*1534*2451mm |
| Training area     | 5000*3000mm      |
| Number of users   | 11               |

Double storage rack

GS/DS-2

| Contain                                                                                                                                                                                                                                                                                 |                 |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <div><div><div>Bulgarian bag (x4)</div><div>Power bag (x2)</div><div>Training barrel (x2)</div><div>Wall ball (x4)</div></div><div><div>Anti-burst core ball (x2)</div><div>Pro wall bal (x3)</div><div>Double grip medicine ball (x5)</div><div>Balance trainer (x4)</div></div></div> |                 |
| Spec                                                                                                                                                                                                                                                                                    |                 |
| Size of equipment                                                                                                                                                                                                                                                                       | 2750*672*2351mm |
| Training area                                                                                                                                                                                                                                                                           | 3700*2200mm     |
| Number of users                                                                                                                                                                                                                                                                         | 10              |



Triple storage

GS-TRS-L

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                      |                 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <div><div><div>Bulgarian bag (x2)</div><div>Power bag (x2)</div><div>Training barrel (x2)</div><div>Steel competition kettlebell (x5)</div><div>Hanging core mat (x3)</div><div>Power band (x2)</div></div><div><div>12-Sided urethane dumbbells (x6)</div><div>Anti-burst core-it exercise ball (x2)</div><div>Wall ball (x3)</div><div>Double grip medicine ball (x5)</div><div>The balance trainer (x2)</div></div></div> |                 |
| Spec                                                                                                                                                                                                                                                                                                                                                                                                                         |                 |
| Size of equipment                                                                                                                                                                                                                                                                                                                                                                                                            | 4050*594*2300mm |
| Training area                                                                                                                                                                                                                                                                                                                                                                                                                | 5000*2200mm     |
| Number of users                                                                                                                                                                                                                                                                                                                                                                                                              | 15              |



Quadruple storage rack

GS/QAS

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                 |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <div><div><div>Bulgarian bag (x4)</div><div>Power bag (x2)</div><div>Training barrel (x2)</div><div>Wall ball (x4)</div><div>Agility cone (x2)</div><div>Pro wall ball (x3)</div><div>Double grip medicine ball (x5)</div><div>The balance trainer (x4)</div><div>Power band (x2)</div><div>Urethane competition kettlebell (x10)</div></div><div><div>Anti-burst core-it exercise ball (x2)</div><div>Hanging core mat (x2)</div><div>Quick cones (x1)</div><div>Liveprofoam roller (x2)</div><div>Foam roller (x2)</div><div>Foot massage ball (x6)</div><div>Target massage ball (x2)</div><div>Peanut massage ball (x2)</div><div>Lateral endurance hurdle (x2)</div></div></div> |                 |
| Spec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |                 |
| Size of equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | 5350*621*2301mm |
| Training area                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | 6400*2100mm     |
| Number of users                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 20              |



Fivfold storage rack

GS-QIS

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                 |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|
| <div><div><div>Bulgarian bag (x4)</div><div>Power bag (x2)</div><div>Training barrel (x2)</div><div>Wall ball (x4)</div><div>Agility cone (x2)</div><div>Pro wall ball (x3)</div><div>Double grip medicine ball (x5)</div><div>The balance trainer (x4)</div><div>Power band (x2)</div><div>Urethane competition kettlebell (x10)</div></div><div><div>Anti-burst core-it exercise ball (x2)</div><div>Hanging core mat (x2)</div><div>Quick cones (x1)</div><div>Liveprofoam roller (x2)</div><div>Foam roller (x2)</div><div>Foot massage ball (x6)</div><div>Target massage ball (x2)</div><div>Peanut massage ball (x2)</div><div>Lateral endurance hurdle (x2)</div><div>12-Sided urethane dumbbells (x6)</div></div></div> |                 |
| Spec                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |                 |
| Size of equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                | 6650*590*2301mm |
| Training area                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | 7600*2100mm     |
| Number of users                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  | 25              |



Single bridge

GS/SB-3

| Contain                                                                                                                                                                                   |                  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Wall ball (x3)</div><div>• Medicine ball (x4)</div></div><div><div>• Urethane competition kettlebell (x5)</div><div>• 12-Sided urethane dumbbells (x6)</div></div></div> |                  |
| Spec                                                                                                                                                                                      |                  |
| Size of equipment                                                                                                                                                                         | 5980*1350*2636mm |
| Training area                                                                                                                                                                             | 10000*4300mm     |
| Number of users                                                                                                                                                                           | 16               |



Squart storage

GS/SB-S

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                  |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Foam roller(x1)</div><div>• Super band(x4)</div><div>• Hanging training mat (x2)</div><div>• 12-Sided urethane dumbbells(x6)</div><div>• Double grip medicine ball(x4)</div><div>• Wall ball(x3)</div></div><div><div>• Kettlebell(x4)</div><div>• Balance trainer(x2)</div><div>• Urethane competition kettlebell (x5)</div><div>• Urethane double colored elite bumper</div><div>• Plate(x6)</div><div>• Barbell set</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                                                                                                                                                                                                                      |                  |
| Size of equipment                                                                                                                                                                                                                                                                                                                                                                                                                                         | 4675*1694*2476mm |
| Training area                                                                                                                                                                                                                                                                                                                                                                                                                                             | 8600*4600mm      |
| Number of users                                                                                                                                                                                                                                                                                                                                                                                                                                           | 19               |



Squart bridge

GS/DSB

| Contain                                                                                                                                                                                                                                                                                                                                                 |                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Double grip medicine ball(x4)</div><div>• Wall ball(x3)</div><div>• Urethane competition kettlebell(x5)</div><div>• 12-Sided urethane dumbbells(x6)</div><div>• Hanging training mat (x2)</div></div><div><div>• Foam roller(x1)</div><div>• Super band (x2)</div><div>• Urethane grip plate</div><div>• Barbell set</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                                                                                                                    |                  |
| Size of equipment                                                                                                                                                                                                                                                                                                                                       | 6362*1694*2476mm |
| Training area                                                                                                                                                                                                                                                                                                                                           | 10000*3600mm     |
| Number of users                                                                                                                                                                                                                                                                                                                                         | 22               |



Double bridge

GS/DB-2

| Contain                                                                                                                                                                                                                                                                                                        |                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Bulgarian bag(x2)</div><div>• Power bag (x2)</div><div>• Training barrel (x2)</div><div>• Hanging training mat (x2)</div></div><div><div>• Anti-burst core ball (x2)</div><div>• Wall ball (x3)</div><div>• Double grip medicine ball (x5)</div><div>• Balance trainer (x4)</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                                                                           |                  |
| Size of equipment                                                                                                                                                                                                                                                                                              | 5050*3094*2476mm |
| Training area                                                                                                                                                                                                                                                                                                  | 9000*6000mm      |
| Number of users                                                                                                                                                                                                                                                                                                | 27               |



Double bridge(upgraded)

GS/DB-3

| Contain                                                                                                                                                                                                                                                                                                                |                  |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Urethane competition kettlebell (x5)</div><div>• Wall ball (x3)</div><div>• 12-Sided urethane dumbbells (x6)</div><div>• Livepro foam roller (x2)</div></div><div><div>• Foam roller (x2)</div><div>• Hanging training mat</div><div>• Foam roller (x1)</div><div>• Super band (x4)</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                                                                                   |                  |
| Size of equipment                                                                                                                                                                                                                                                                                                      | 6171*2894*2476mm |
| Training area                                                                                                                                                                                                                                                                                                          | 10000*6000mm     |
| Number of users                                                                                                                                                                                                                                                                                                        | 24               |



Double L-shaped bridge

GS/DB-1

| Contain                                                                                                                                                                                                                                                                                                        |                  |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <div><div><div>• Bulgarian bag(x2)</div><div>• Power bag (x2)</div><div>• Training barrel (x2)</div><div>• Hanging training mat (x2)</div></div><div><div>• Anti-burst core ball (x2)</div><div>• Wall ball (x3)</div><div>• Double grip medicine ball (x5)</div><div>• Balance trainer (x4)</div></div></div> |                  |
| Spec                                                                                                                                                                                                                                                                                                           |                  |
| Size of equipment                                                                                                                                                                                                                                                                                              | 5050*2922*2476mm |
| Training area                                                                                                                                                                                                                                                                                                  | 9000*6000mm      |
| Number of users                                                                                                                                                                                                                                                                                                | 18               |



## Triple T-shaped bridge GS/TB-2

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                   |                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|
| <ul style="list-style-type: none"><li>• Anti-burst core ball (x2)</li><li>• Wall ball (x3)</li><li>• Double grip medicine ball (x5)</li><li>• Balance trainer (x4)</li><li>• Super band (x4)</li><li>• Hanging training mat (x2)</li><li>• 12-Sided urethane dumbbells (x6)</li><li>• Bulgarian bag (x2)</li><li>• Power bag (x2)</li><li>• Training barrel (x2)</li><li>• Urethane competition kettlebell (x5)</li></ul> |                  |
| Spec                                                                                                                                                                                                                                                                                                                                                                                                                      |                  |
| Size of equipment                                                                                                                                                                                                                                                                                                                                                                                                         | 5131*4050*2476mm |
| Training area                                                                                                                                                                                                                                                                                                                                                                                                             | 9000*7000mm      |
| Number of users                                                                                                                                                                                                                                                                                                                                                                                                           | 25               |



## Triple T-shaped bridge(upgraded) GS/TB-3

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | Spec                                                                                                                                                                                                                                                                                                                                          |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
| <ul style="list-style-type: none"><li>• Wall ball (x6)</li><li>• Quick cones (x1)</li><li>• Agility cone (x2)</li><li>• Super band (x4)</li><li>• Agility dot (x2)</li><li>• Balance trainer (x3)</li><li>• Anti-burst core ball (x2)</li><li>• Hanging training mat (x2)</li><li>• Double grip medicine ball (x8)</li><li>• 12-Sided urethane dumbbells (x6)</li><li>• Lateral endurance hurdle (x2)</li><li>• Foam roller (x1)</li><li>• Livepro foam roller (x2)</li><li>• Foam roller (x2)</li><li>• Foot massage ball (x2)</li><li>• Peanut massage ball (x2)</li><li>• Target massage ball (x2)</li><li>• Urethane grip plate</li><li>• Barbell set</li></ul> |  | <ul style="list-style-type: none"><li>• Urethane competition kettlebell (x5)</li><li>• Super band (x4)</li><li>• Foam roller (x1)</li><li>• Livepro foam roller (x2)</li><li>• Foam roller (x2)</li><li>• Foot massage ball (x2)</li><li>• Peanut massage ball (x2)</li><li>• Target massage ball (x2)</li><li>• Medicine ball (x6)</li></ul> |  |
| Size of equipment                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |  | 6391*3750*2476mm                                                                                                                                                                                                                                                                                                                              |  |
| Training area                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |  | 10000*6500mm                                                                                                                                                                                                                                                                                                                                  |  |
| Number of users                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | 33                                                                                                                                                                                                                                                                                                                                            |  |

## Double bridge GS/IB

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | Spec              |  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------|--|
| <ul style="list-style-type: none"><li>• Wall ball (x6)</li><li>• Quick cones (x1)</li><li>• Agility cone (x2)</li><li>• Agility dot (x2)</li><li>• Balance trainer (x6)</li><li>• Anti-burst core ball (x2)</li><li>• Hanging training mat (x2)</li><li>• Double grip medicine ball (x8)</li><li>• 12-Sided urethane dumbbells (x6)</li><li>• Lateral endurance hurdle (x2)</li><li>• Urethane competition kettlebell (x5)</li><li>• Super band (x4)</li><li>• Foam roller (x1)</li><li>• Livepro foam roller (x2)</li><li>• Foam roller (x2)</li><li>• Foot massage ball (x2)</li><li>• Peanut massage ball (x2)</li><li>• Target massage ball (x2)</li><li>• Medicine ball (x6)</li></ul> |  | Size of equipment |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 6050*3750*2636mm  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | Training area     |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 10000*6500mm      |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | Number of users   |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 36                |  |

## Quadruple T-shaped single bridge GS/QB-1

| Contain                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  | Spec              |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------|--|
| <ul style="list-style-type: none"><li>• Wall ball (x6)</li><li>• Training barrel (x2)</li><li>• Quick cones (x1)</li><li>• Agility cone (x2)</li><li>• Agility dot (x2)</li><li>• Balance trainer (x4)</li><li>• Anti-burst core ball (x2)</li><li>• Hanging training mat (x2)</li><li>• Super band (x4)</li><li>• Lateral endurance hurdle (x2)</li><li>• Double grip medicine ball (x5)</li><li>• Urethane competition kettlebell (x10)</li><li>• Bulgarian bag (x2)</li><li>• Livepro foam roller (x2)</li><li>• Foam roller (x2)</li><li>• Foot massage ball (x2)</li><li>• Peanut massage ball (x2)</li><li>• Target massage ball (x2)</li><li>• Medicine ball (x4)</li><li>• Power bag (x2)</li></ul> |  | Size of equipment |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 5131*5350*2476mm  |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | Training area     |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 9000*8500mm       |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | Number of users   |  |
|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  | 30                |  |

# Quadruple T-shaped double bridge



GS/QDB

Contain

- Wall ball (x6)
- Double grip medicine ball (x5)
- Training barrel (x2)
- Quick cones (x1)
- Agility cone (x2)
- Agility dot (x2)
- Lateral endurance hurdle (x2)
- Balance trainer (x4)
- Anti-burst core ball (x2)
- Hanging training mat (x2)
- Super band (x4)
- 12-Sided urethane dumbbells (x6)
- Urethane competition kettlebell (x10)
- Bulgarian bag (x2)
- Livepro foam roller (x2)
- Foam roller (x2)
- Foot massage ball (x2)
- Peanut massage ball (x2)
- Target massage ball (x2)
- Power bag (x2)

| Spec              |                  |
|-------------------|------------------|
| Size of equipment | 5050*5350*2476mm |
| Training area     | 9000*8500mm      |
| Number of users   | 35               |

# Five column T-shaped double bridge



GS/TB-4

Contain

- Wall ball (x6)
- Training barrel (x2)
- Quick cones (x1)
- Agility cone (x2)
- Agility dot (x2)
- Balance trainer (x6)
- Anti-burst core ball (x2)
- Hanging training mat (x2)
- Super band (x4)
- Double grip medicine ball (x8)
- Lateral endurance hurdle (x2)
- 12-Sided urethane dumbbells (x6)
- Urethane competition kettlebell (x5)
- Livepro foam roller (x2)
- Foam roller (x2)
- Foam roller (x1)
- Foot massage ball (x3)
- Peanut massage ball (x2)
- Target massage ball (x2)
- Medicine ball (x8)

| Spec              |                  |
|-------------------|------------------|
| Size of equipment | 6370*6150*2636mm |
| Training area     | 10000*9000mm     |
| Number of users   | 47               |

# Fivefold T-shaped bridge

GS/QB-2

- Contain
- Wall ball (x3)
  - Training barrel (x2)
  - Quick cones (x1)
  - Agility cone (x2)
  - Agility dot (x2)
  - Balance trainer (x4)
  - Anti-burst core ball (x2)
  - Hanging training mat (x4)
  - Super band (x8)
  - Double grip medicine ball (x5)
  - Lateral endurance hurdle (x2)
  - 12-Sided urethane dumbbells (x6)
  - Urethane competition kettlebell (x10)
  - Bulgarian bag (x2)
  - Livepro foam roller (x2)
  - Foam roller (x2)
  - Foot massage ball (x2)
  - Peanut massage ball (x2)
  - Target massage ball (x2)
  - Medicine ball (x4)
  - Power bag (x2)



| Spec              |                  |
|-------------------|------------------|
| Size of equipment | 5131*6650*2476mm |
| Training area     | 9000*9500mm      |
| Number of users   | 35               |

# Trolley bridge

GS/TG-1



Contain

- Punching bag (x2)
- Livepro aqua boxing bag(x2)
- Suspension trainer (x2)
- Bulgarian bag(x3)
- Power bag(x2)
- Competition kettlebell(x10)
- Wall ball(x6)
- Solid medicine ball(x3)
- Dumbbells

| Spec              |                  |
|-------------------|------------------|
| Size of equipment | 4220*3500*2700mm |
| Training area     | 8000*6500mm      |
| Number of users   | 25               |

Livepro

Flooring  
system

|                        |     |
|------------------------|-----|
| Rubber floor           | 116 |
| PVC floor              | 117 |
| Turf                   | 117 |
| Weightlifting platform | 118 |

It is suitable for different sports scenarios



Aerobic



Free intensity training



Functional training



Indoor track training











Free weight



Olympic weightlifting



Overview of flooring system products

| Product series        |                             | Rubber floor                                                                      |                                                                                   |                                                                                   |                                                                                    |                                                                                     | Turf                                                                                |  |                                                                                     |                                                                                     | PVC floor                                                                           |                                                                                     | Weight lifting platform                                                             |                                                                                     |                                                                                     |
|-----------------------|-----------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| Product               |                             | ShockAbsorb rubber floor                                                          | PowerGuard rubber floor                                                           | FLexfit rubber floor                                                              | Orignal ShockAbsorb rubber floor                                                   | Original rubber floor                                                               | SBT soft base lawn                                                                  |  | PGT ordinary solid color lawn                                                       | TFT runway turf                                                                     | Zenbase mat                                                                         | PVC floor glue                                                                      | Independent weightlifting platform                                                  | Embedded weightlifting platform                                                     | Buried weightlifting platform                                                       |
|                       |                             |  |  |  |  |  |  |  |  |  |  |  |  |  |  |
| Product form          | Color                       | 15 kinds                                                                          | 15 kinds                                                                          | 15 kinds                                                                          | 52 kinds                                                                           | 10 kinds                                                                            | 10 kinds                                                                            |  | 10 kinds                                                                            | 10 kinds                                                                            | 3 kinds                                                                             | 10 kinds                                                                            | 9 kinds                                                                             | 9 kinds                                                                             | 24 kinds                                                                            |
|                       | Rolls                       |                                                                                   | ✓                                                                                 | ✓                                                                                 |                                                                                    | ✓                                                                                   | ✓                                                                                   |  | ✓                                                                                   | ✓                                                                                   |                                                                                     | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                       | Tiles                       | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     |                                                                                     |  |                                                                                     |                                                                                     | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                       | Plank                       |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   |                                                                                     |
| Application scenarios | Bathroom                    |                                                                                   |                                                                                   |                                                                                   | ✓                                                                                  |                                                                                     |                                                                                     |  |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                       | Lockers                     |                                                                                   |                                                                                   |                                                                                   | ✓                                                                                  |                                                                                     |                                                                                     |  |                                                                                     |                                                                                     |                                                                                     | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                       | Aerobic zone                |                                                                                   |                                                                                   |                                                                                   | ✓                                                                                  |                                                                                     |                                                                                     |  |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                       | Population and public areas |                                                                                   |                                                                                   |                                                                                   | ✓                                                                                  |                                                                                     | ✓                                                                                   |  | ✓                                                                                   |                                                                                     | ✓                                                                                   | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                       | Light weight zone           |                                                                                   | ✓                                                                                 | ✓                                                                                 |                                                                                    | ✓                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                       | Medium weight zone          | ✓                                                                                 | ✓                                                                                 |                                                                                   |                                                                                    | ✓                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                       | Heavy weight zone           | ✓                                                                                 |                                                                                   |                                                                                   |                                                                                    | ✓                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |
|                       | Strength equipment zone     | ✓                                                                                 | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  | ✓                                                                                   |                                                                                     |  |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                       | Functional training zone    |                                                                                   | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     | ✓                                                                                   |  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                       | Group training zone         |                                                                                   | ✓                                                                                 | ✓                                                                                 | ✓                                                                                  |                                                                                     | ✓                                                                                   |  | ✓                                                                                   | ✓                                                                                   | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                       | Indoor lawn                 |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     | ✓                                                                                   |  | ✓                                                                                   | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |
|                       | Retail zone                 |                                                                                   |                                                                                   |                                                                                   | ✓                                                                                  |                                                                                     |                                                                                     |  |                                                                                     |                                                                                     | ✓                                                                                   | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |
|                       | Runway                      |                                                                                   |                                                                                   | ✓                                                                                 |                                                                                    |                                                                                     |                                                                                     |  |                                                                                     | ✓                                                                                   |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |

Ground conditions and suitability


| Flatness                                                                        | Humidity                                            |
|---------------------------------------------------------------------------------|-----------------------------------------------------|
| The ground must be completely level.<br>Height deviation ≤ 3mm (per 2 m length) | The ground must be completely dry;<br>Humidity ≤ 4% |

| Cleanliness                              | Compressive strength |
|------------------------------------------|----------------------|
| No dust, oil, water and other pollutants | ≥ 25 Mpa             |

# Rubber floor

Our range of rubber floors are designed to meet a variety of training needs and environments

No matter the size of your fitness space, or what type of training you're focused on, we offer a variety of thickness and texture options. Explore our products to find the rubber flooring that best suits your venue and training style. Elevate your training experience by starting with choosing the right ground!



| ShockAbsorb rubber floor |                     |        |
|--------------------------|---------------------|--------|
| Item                     | LP8270              | LP8271 |
| Surface                  | 1.6mm               | 3mm    |
| Form                     | Tiles               |        |
| Size                     | 0.5*0.5m, 1*1m      |        |
| Thickness                | 25/30/35/40/45/50mm |        |




| PowerGuard rubber floor |             |               |
|-------------------------|-------------|---------------|
| Item                    | LP8382      | LP8384        |
| Form                    | Coil        | Interlock mat |
| Size                    | Width1-1.2m | 1*1m          |
| Thickness               | 15mm        |               |



| Flexfit rubber floor |        |  |
|----------------------|--------|--|
| Item                 | LP8381 |  |
| Form                 | Coil   |  |
| Width                | 1-1.2m |  |
| Thickness            | 8mm    |  |



| Original ShockAbsorb rubber floor |         |  |
|-----------------------------------|---------|--|
| Item                              | LP8385  |  |
| Form                              | Tiles   |  |
| Width                             | 0.5-1m  |  |
| Thickness                         | 2/2.5mm |  |



| Original rubber floor |        |  |
|-----------------------|--------|--|
| Item                  | LP8383 |  |
| Form                  | Coil   |  |
| Width                 | 1-1.2m |  |
| Thickness             | 2/3mm  |  |


# PVC floor

Livepro's range of PVC flooring is available in a variety of color and texture options

Suitable for all kinds of fitness and sports environments. Whether your space is a professional gym, a home fitness area, or a multi-purpose activity room, our PVC flooring provides durability, ease of cleaning, and a comfortable workout experience. Explore our products to find the best PVC flooring solution for your space needs, budget, and personal style.



| Zenbase mat |               |  |
|-------------|---------------|--|
| Item        | LP8388        |  |
| Form        | Tiles         |  |
| Size        | 914.4*152.4mm |  |
| Thickness   | 6mm           |  |



| FLEXPVC 50 |        |  |
|------------|--------|--|
| Item       | LP8389 |  |
| Form       | Coil   |  |
| Width      | 1.5m   |  |
| Thickness  | 2mm    |  |

# Turf

Livepro offers a wide range of artificial turf solutions


Suitable for a variety of sports and training needs. Whether you're creating a running track or a multi-purpose sports area, our range of turf offers durability, comfort and aesthetics. Explore our products to find the best fit for your lawn based on the size of your space, frequency of use, and intended use. Let's create a sports environment that is both practical and appealing!



| SBT soft base lawn |                 |  |
|--------------------|-----------------|--|
| Item               | LP8280          |  |
| Form               | Coil            |  |
| Width              | No more than 4m |  |
| Height             | 20mm            |  |
| Density            | 5kg/ m²         |  |
| Straw yarn weight  | 5400 denier     |  |
| Knitting needle    | Distance 3/16   |  |
| Needles            | 63000/ m²       |  |




| PGT ordinary solid color lawn |                 |  |
|-------------------------------|-----------------|--|
| Item                          | LP8281          |  |
| Form                          | Coil            |  |
| Width                         | No more than 4m |  |
| Height                        | 20mm            |  |
| Density                       | 3.5kg/ m²       |  |
| Straw yarn weight             | 5400 denier     |  |
| Knitting needle               | Distance 3/16   |  |
| Needles                       | 58000/ m²       |  |



| TFT runway turf   |                 |  |
|-------------------|-----------------|--|
| Item              | LP8282          |  |
| Form              | Coil            |  |
| Width             | No more than 4m |  |
| Height            | 20mm            |  |
| Density           | 3.5kg/ m²       |  |
| Straw yarn weight | 5400 denier     |  |
| Knitting needle   | Distance 3/16   |  |
| Needles           | 63000/ m²       |  |

# Weightlifting platform



## Discover your true strength – Find your perfect lifting platform now!

Livepro offers a diverse range of lifting platforms tailored to your needs. Whether you're a professional athlete or a fitness enthusiast, we have the perfect solution for you. Explore our product features to discover the ideal platform that matches your training environment and personal goals. Together, let's build a safe, high-performance lifting experience.

## Why Select Livepro Weightlifting Platform

When you choose a Livepro weightlifting platform, you get a top-of-the-line training partner that combines performance, safety, sound damping, and durability. Our weightlifting platforms are built with extra strong hardwoods, ensuring stability and long-lasting durability. It is also equipped with a steady-grip anti-slip coating that provides excellent grip and safety. In addition, its advanced sound-dampening and shock-absorbing design effectively reduces noise and vibration during training, creating a more focused and peaceful training environment for you.

Excellent performance

Security

Silencing and damping

Surface durability

HardFlex Wood

Surgecoating grip





# Excellent performance

The combination of these three layers not only enhances the functionality of the lifting platform, but also ensures the safety and comfort of the athletes. At the same time, it creates a quieter and more professional training environment for the gym or home fitness area.

1


**Wear-resistant and shockproof layer**  
This layer is made of a single piece of rubber material, which is extremely resistant to abrasion and shocks. It provides a sturdy foundation for the entire weight bench, ensuring that the platform remains stable as the weight falls, while providing long-term durability.

2

**Energy absorbing layer**  
Made of high-density vulcanized rubber, this layer is specifically designed to absorb the impact of the bell when it hits the flooring. It effectively reduces the rebound of the bell plates, which reduces the impact on the ground while protecting the athlete from accidental injury.

3


**Sound-dampening layer**  
Made of a special foam material, it is designed to cushion the impact and impact sound generated when the bell hits the ground. Not only does it improve training comfort, but it also reduces noise, making the weight bench suitable for gyms or home fitness areas that require a quiet environment.




# Security

At Livepro, we know that the core of weight training is not just strength, it's safety. That's why our carefully designed weight benches, with their superior energy absorption and reduced disc rebound, provide unprecedented safety for your training.

Ringblade rebound rate (lower means better performance)



Energy absorption rate (higher means better absorption)



# Silencing and damping

The Livepro weight bench features a three-layer high-efficiency shock-absorbing structure that significantly reduces noise and ground impact, protecting athletes and the ground, providing a safer and quieter training environment.

Shock absorption and sound reduction rate




Comparison chart of the performance of LIVEPRO and other brands of products, shock absorption and sound reduction rate



# Surface durability

Livepro products are made of high-quality vulcanized rubber materials, which guarantee an efficient service life of more than 5 years, even in high-use environments.

Performance retention




Comparison chart of the performance retention rate of Livepro and other brands



## HardFlex Wood

HardFlex Wood combines wood and steel to form an ultra-strong structure. It has good stability and can maintain its shape without deformation after long-term use, providing users with a solid and reliable training foundation.



## Surgecoating grip

This coating not only prevents the planks from slipping due to sweat or moisture, but also provides extra grip. Whether barefoot or wearing training shoes, SureGrip Coating provides stable support for greater peace of mind during high-intensity training such as weightlifting.




## Standard independent weight lifting platform

LP6230

- The Livepro standard weight lifting platform is designed for general strength training and daily fitness activities. Its 50mm thickness provides a strong and stable foundation for basic strength training such as barbell lifting, squats, deadlifts, etc., as well as for daily fitness activities.



| Spec      |                                                                                                         |
|-----------|---------------------------------------------------------------------------------------------------------|
| Material  | Q235 steel, Recycled cotton rubber Wood boards                                                          |
| Color     | Black                                                                                                   |
| Size      | 1800*2400mm                                                                                             |
| Thickness | 50mm                                                                                                    |
| Contain   | Bezel group*1<br>high-density recycled cotton*2<br>High-density rubber block*6<br>Granular rubber mat*2 |



## Heavy duty independent lifting platform

LP6236

- Designed for high-intensity and professional-level weight training, the 100mm thickened design provides the ultimate in stability and durability, especially suitable for heavyweight lifting, Olympic weightlifting, and high-intensity training, providing an ideal training environment for professional athletes and advanced trainers.
- Heavy-duty reinforced steel with tapered edges surround the frame for easy access to the training bench.

| Spec      |                                                                                                         |
|-----------|---------------------------------------------------------------------------------------------------------|
| Material  | Q235 steel, Recycled cotton rubber, Wood boards                                                         |
| Color     | Black                                                                                                   |
| Size      | 2690*2040mm                                                                                             |
| Thickness | 100mm                                                                                                   |
| Contain   | Bezel group*1<br>high-density recycled cotton*2<br>High-density rubber block*18<br>Granular rubbermat*2 |



# Embedded weightlifting platform

The Livepro Embedded Weightlifting Platform is an innovative design that can be seamlessly embedded into the LIVEPRO's half-frame and full-frame, providing a versatile, space-saving training solution for fitness enthusiasts and professional athletes.

1

**Wooden plank mortise and tenon occlusal structure**  
Livepro's embedded weight lifting platform features a mortise and tenon articulating structure that ensures that the two planks fit snugly for a seamless, secure lifting experience. This design not only enhances the stability and durability of the overall structure, but also simplifies the installation process. Its exquisite exterior design is both beautiful and practical, suitable for a variety of fitness environments, providing users with a safe and reliable weightlifting experience.



2

**Seamless integration of frameworks**  
Livepro's weight lifting platform is uniquely designed for seamless integration with strength training racks. This innovative connection method ensures that the platform and the training rack are closely and seamlessly connected, forming a whole and providing a more stable and safe training environment. This design not only optimizes the use of space, but also enhances the durability and aesthetics of the equipment, resulting in a smoother and more efficient training experience for the user.

3

**L-Anchor Stabilization System**  
The L-Anchor Stabilization System is an innovative technology that Livepro has carefully designed for its embedded weight lifting platform. By embedding an L-shaped steel structure in the wooden backplate, the system is designed to improve the stability and durability of the entire lifting platform. At the same time, it ensures the convenience and safety of users when lifting or handling heavy objects.



# Insert weightlifting platform full rack100

- "Full-rack embedded lifting platform" delivers a fully enclosed training zone, engineered for professional weightlifting requiring large-area stability support.



| Spec             |                                                                                                         |
|------------------|---------------------------------------------------------------------------------------------------------|
| Material         | Q235 steel, Recycled cotton, Rubber Wood boards                                                         |
| Surface          | Powder coating                                                                                          |
| Outline frame    | Tapered                                                                                                 |
| Frame size       | 1800*2400mm                                                                                             |
| Inner frame size | 1840*1000mm                                                                                             |
| Thickness        | 100mm                                                                                                   |
| Contain          | Ezel group*1<br>High-density recycled cotton*2<br>High-density rubber block*18<br>Granular rubber mat*2 |



# Insert weightlifting platform full rack 50

- The full rack 50 offers optional Standard and Compact versions post-selection to accommodate diverse venue requirements.
- The steel-reinforced wooden platform resists warping and deformation under prolonged heavy use.
- The one-piece rubber mat provides superior shock absorption and anti-slip stability.



| Spec             |                                                                                                        |
|------------------|--------------------------------------------------------------------------------------------------------|
| Material         | Q235 steel, Recycled cotton, Rubber Wood boards                                                        |
| Surface          | Powder coating                                                                                         |
| Outline frame    | Square                                                                                                 |
| Frame size       | 2460*1900mm                                                                                            |
| Inner frame size | 2442.5*1060mm                                                                                          |
| Thickness        | 50mm                                                                                                   |
| Contain          | Ezel group*1<br>High-density recycled cotton*2<br>High-density rubber block*6<br>Granular rubber mat*2 |



# Insert weightlifting platform half rack 100

LP6235

- The half-rack integrated weightlifting platform offers a more flexible solution, ideal for space-limited venues or areas requiring adaptable training configurations.



| Spec             |                                                                                                         |
|------------------|---------------------------------------------------------------------------------------------------------|
| Material         | Q235 steel, Recycled cotton, Rubber Wood boards                                                         |
| Surface          | Powder coating                                                                                          |
| Outline frame    | Tapered                                                                                                 |
| Frame size       | 1800*2400mm                                                                                             |
| Inner frame size | 1400*1000mm                                                                                             |
| Thickness        | 100mm                                                                                                   |
| Contain          | Ezel group*1<br>High-density recycled cotton*2<br>High-density rubber block*18<br>Granular rubber mat*2 |

# Freestanding deadlift platform 50

LP6231

- The metal-reinforced wooden board prevents warping and bending after long-term use.
- The one-piece rubber mat provides better shock absorption and prevents displacement.

| Spec         |                                                                         |
|--------------|-------------------------------------------------------------------------|
| Material     | Q235 steel, Rubber Wood boards                                          |
| Surface      | Powder coating                                                          |
| Overall size | 2467*1300*50mm                                                          |
| Thickness    | 50mm                                                                    |
| Contain      | Ezel group*1<br>High-density recycled cotton*2<br>Granular rubber mat*2 |




# Insert weightlifting platform half rack50

LP6229

- The Half-Rack 50 option can be embedded into the standard 575 side-post semi-frame system.
- Steel-reinforced wooden platform prevents warping and deformation under prolonged heavy use.
- One-piece rubber matting provides superior shock absorption and anti-slip stability.

| Spec             |                                                                                                        |
|------------------|--------------------------------------------------------------------------------------------------------|
| Material         | Q235 steel, Rubber Wood boards                                                                         |
| Surface          | Powder coating                                                                                         |
| Outline frame    | Square                                                                                                 |
| Frame size       | 2460*1900mm                                                                                            |
| Inner frame size | 1392.5*1060mm                                                                                          |
| Thickness        | 50mm                                                                                                   |
| Contain          | Ezel group*1<br>High-density recycled cotton*2<br>High-density rubber block*6<br>Granular rubber mat*2 |



# Wooden custom service



### Variety of wood options

Livepro is committed to meeting your individual needs, which is why we offer a wide range of wood options, including durable birch, high-quality oak and other selected woods. Each wood has been carefully selected to ensure that it is both aesthetically pleasing and functional, meeting different functional and aesthetic needs.



WL/01  
Northeast China ash  
wood surface



WL/02  
Northeast China ash  
wood surface



WL/03  
Northeast China ash  
wood surface



BM/01  
Birken wood surface



BM/02  
Birken wood surface




BM/03  
Birken wood surface




OK/01  
Red oak wood surface



YM/01  
Elm wood surface



G/01  
Grey




G/02  
Light gray



G/03  
Black



G/04  
Red



G/05  
White



### Custom Logo


We understand the importance of branding. Therefore, Livepro provides professional trademark customization services to make your brand image deeply rooted in the hearts of the people. Whether it's a simple wordmark or a complex graphic design, our high-precision printing technology ensures that every detail is perfectly presented, giving your brand a unique look on your products.



### Custom Size

At Livepro, we understand the uniqueness and individuality of each fitness space. To ensure that our weight platforms and recessed weight platforms fit your space perfectly, we offer a comprehensive size and thickness customization service.

## Case display




# Our business and service



## Our services

### Service Content



## Precise Space Optimization: Create a unique fitness space

At Livepro, we understand that every fitness space is unique, so our service philosophy goes beyond mere design and customization. We believe that good space planning is the key to the success of a fitness facility. Our goal is to create a functional and aesthetically pleasing fitness environment with a streamlined set of equipment that makes sure every inch of space gets the most out of it.

### Precise planning - the perfect blend of function and aesthetics

Our team of experts will understand your needs in-depth and make precise planning based on the characteristics of your space. Our goal is to achieve the most comprehensive functionality with the least amount of equipment, ensuring that each piece of equipment is necessary, while maintaining the aesthetics and rational layout of the space.

### Scientific planning - the cornerstone of business success

We believe that through scientific planning and careful design, Your fitness space not only provides a superior member experience, but also boosts your business success. A well-planned, functional, and aesthetically pleasing fitness environment is key to attracting and retaining members.

We are committed to creating a fitness environment that is both functional and aesthetically pleasing through minimal equipment configuration and precise space planning. Help your brand grow and succeed commercially.

### Device minimization - maximum functionality

At Livepro, we adhere to the principle of "less is more". We've selected high-performance and versatile equipment to ensure they meet a wide range of training needs, save space, and make your fitness environment more spacious and comfortable.

### Personalized design - a unique brand experience


Through color selection and logo customization, we further strengthen your brand image. Our design team will ensure that these elements are closely linked to your brand philosophy and visual style, creating a unique and engaging fitness space.



## Introduction to the project service process

We'll help you plan your training space.

Creating your own training space is a big step. We know that every project has special requirements. With more than 7 years of experience, our team of experts is at your service every step of the way. From conception to planning to fabrication and installation, we will work together to realize a fully equipped and modern training space based on your wishes and ideas.



## Elite Training: All-round growth plan

At Livepro, we are committed to providing comprehensive and professional sports training science training services. Through our carefully set up 1000 square meter training center and professional team of instructors, we provide our customers with an ideal platform for learning and Xi and growth.

We don't just impart knowledge, we are committed to cultivating the all-round training capabilities of our customers. Help them achieve excellence in their respective fields.



**Practice and theory combined**

In Livepro's training center, theoretical learning is closely integrated with practical Xi. We ensure that each participant is able to deepen their understanding in the real world and thus apply what they have learned more effectively in practice.

**Professional team of lecturers**  
**Transfer of knowledge and experience**

Our team of lecturers is made up of experienced professionals who have not only deep theoretical knowledge, but also a wealth of practical experience. This ensures that we are able to provide the most cutting-edge and practical knowledge of training science.

**Diversified training mode**  
**Flexible and efficient**

Our training services are not limited by geography and provide remote online training, on-site guidance, and professional training spaces at Livepro on-site training. No matter where you are in the world, you can benefit from our high-quality training services.

**Customized training programs Targeted**

We offer customized training programs for different sports and sports. Whether it's the military, police, commercial gyms, or specific sports programs, we can tailor the training program to the specific needs of our clients.



# Business partner


## The brand of the device



## Scientific and medical institutions



## Sports clubs



## Commercial gyms and studios



## Events




## Corporate & Hospitality



## Schools



## Military, Police and Firefighting



# Project presentation

Choose the plan that's right for you

Match you with the right solution for your industry

We offer you individual and industry-specific solutions – whether it's health clubs, competitive sports, personal trainer studios, sports rehabilitation, corporate gyms, hotels, government and military fire protection systems. Our team of experts understands that every industry has different needs and requirements. That's why we offer customized solutions to ensure that we provide you with the equipment that meets your needs.

## Competitive sport

Athlete training focuses on improving speed, agility, strength, and endurance through Xi that focuses on the sport. Let's plan and optimize your workout space together.

Case

OG Leads Sports Science & Athletic Performance Center

400 m² Shenzhen China



Case

TT Training Center



Case

Barcelona



Case

Crowd performance

500 m² Shanghai China




Military, police and  
firefighting

We develop customized training systems and fitness studios to improve physical performance to build strength, endurance and resilience to meet the demands of combat missions, from the creation and conception of training areas to completion and installation, to the training of trainers.

Case

EFire station


1500 m² Suzhou China



Case

Training Center of the Ministry of Emergency Management

1000 m² Nanjing China



Case

Fire and rescue detachment

1000 m² Chongqing China



Personal  
trainer studio

For personal trainers, profitability is very important. There is often only a small area available, so it's important to choose a device that has more functionality in a smaller space.

Case

LABZ

600 m² Nanjing China



Case

Jianmeng

600 m² Changsha China



Case

Ke hu ke tao

500 m² Beijing China



Case

France



Case

Malaysia



Case

MTHD



Case

Chengdu China



Fitness club

To stay one step ahead of the competition, it's important to choose the right equipment, and modern area and room planning can increase motivation and customer loyalty, as well as drive customer closing.

Case

FUSION

1500 m²

Shenzhen  
China



Case

Japan

3000 m²

Tokyo



Case

JOIN US

1000 m²

Chengdu  
China



Case

Olive green

2000 m²

Wuxi  
China



Hotels & Spa

Travelers crave hotels with innovative fitness concepts. We create a personalized, modern fitness room for your guests to train close to home.

Case Vanke Real Estate



Case Crowne Plaza Hotel



Case Continental Crown Hotel



Case Pullman Paris Fitness



Case Hotel Indigo



Case Himalayan Hotel




Corporate gym

Reap the benefits of physical and mental health in the workplace. Corporate fitness reduces absenteeism, increases productivity, improves teamwork, and attracts talent.

Case Ningbo



Case University



Case National University of defense technology



Case Shanghai blu-ray group



Case Colombia



Case Secondary School



Exercise  
rehabilitation

A combination of physical therapy, functional training, and strength training can help speed up recovery and improve physical performance. Comprehensive care for your patients.

Case

Special education rehabilitation training center

1500 m<sup>2</sup> Chongqing  
China



Case

Huawei Sports & Health Lab

Dongguan  
China



Home gym

Considering that home gyms often have limited space, our team of experts will provide you with space optimization design services. Through careful planning, we ensure that every inch of space is used efficiently, while maintaining the comfort and aesthetics of the environment.

Case

Villa

50 m<sup>2</sup> Xiamen  
China



# Promotional gift

|                                                                                     |                                                                                     |                                                                                     |                                                                                       |                    |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------|
|    |    |    |    |                    |
| Name                                                                                | Custom teacup mat                                                                   | Livepro stool                                                                       | Custom spray kettle                                                                   | Gym shaker         |
| Item                                                                                | LP7023                                                                              | LP7010                                                                              | LP7019                                                                                | LP7147             |
|  |  |  |    |                    |
| Name                                                                                | Custom signature pen                                                                | Custom bracelet                                                                     | Gym drawstring bag                                                                    | Creativity gym bag |
| Item                                                                                | LP7017                                                                              | LP7018                                                                              | LP7000                                                                                | LP7033             |
|  |  |  |  |                    |
| Name                                                                                | Sports vest                                                                         | Sports short sleeves                                                                | Sports shirt                                                                          | Gym shorts         |
| Item                                                                                | LP7030                                                                              | LP7031                                                                              | LP7032                                                                                | LP7016             |
|  |  |  |  |                    |
| Name                                                                                | Gym vest                                                                            | T-shirt                                                                             | Men's polo shirt                                                                      | Women's polo shirt |
| Item                                                                                | LP7012                                                                              | LP7014                                                                              | LP7013-M                                                                              | LP7013-W           |

FOR BETTER PERFORMANCE

## Our Brand Matrix

---

**LIVEUP<sup>®</sup>**  
SPORTS

**LIVEPRO**

**BLOOM**

**Livepro  
Junior**

**INFINITY**  
BY LIVEPRO

THE EVEREST 25" SERIES  
**LIVEPRO**

Basic Training Equipment  
Livepro Collection 25V5.0(A) TP5516  
©Livepro All Rights Reserved

**LIVEPRO**

is a trademark of and used under license  
from Nantong Liveup Sports CO.,LTD

**NANTONG LIVEUP SPORTS CO.,LTD**



No.18 Shengli road Nantong, China

[sales@liveupsports.com](mailto:sales@liveupsports.com)

[www.livepro-fitness.com](http://www.livepro-fitness.com)