

A photograph of a man and a woman in a sauna. The man is standing in the background, shirtless, with his eyes closed. The woman is lying down in the foreground, also shirtless, with her eyes closed and a towel draped over her lower body. The sauna walls are made of light-colored wood.

ultraspa

Sauna & Steam



## HEALTH

### “ Health is life. ”

The sauna originated from Finland. The traditional Finnish bathroom was built outdoors and constructed into a small hut from hewn logs. A steel oven was placed in the centre of the room, from which the steam was produced by heating stones by firewood, and dousing them with water. This steam bath is beneficial to health, beauty and a clear mind.

With ever-increasing demands on our work-lives and increasing levels of pollution, it has now become essential to focus on our health, and many of us seek the services of gyms and health centers to achieve our health and beauty aspirations, which can become cost prohibitive over the long term.

Now, with the development of new technologies and our innovative production methods, Ultra Spa brings you sauna and steam options that you can enjoy in the privacy of your own homes and at affordable prices.

### Benefits of Sauna & Steam

Sauna baths ease fatigue, stimulate your energy centers and promote healthy metabolism and increase blood circulation. It is exceptionally beneficial to beauty maintenance by opening up skin pores and strengthening perspiration. The intra-corporeal toxin and fat in the under layers of the skin can be cleansed out of our bodies and keeps the skin looking young.

Sauna also helps in rheumatoid arthritis and helps dredge meridians. A longer sauna session even consumes more calories helping to achieve that perfect body. Research over the past decades has proven sauna and steam are essential to maintaining a healthy lifestyle and mind.

ultraspa  
Sauna & Steam






# SAUNA & FAR INFRARED

## ROOM SIZES



Model:FG-1212L  
FR-1212L  
Size:120x120x215cm



Model:FG-1515L  
FR-1515L  
Size:150x150x215cm



Model:FG-2015L  
FR-2015L  
Size:200x150x215cm



Model:FG-2020L  
Size:200x200x215cm



Model:FG-1212G  
FR-1212G  
Size:120x120x215cm



Model:FG-1515G  
FR-1515G  
Size:150X150X215cm



Model:FG-2015G  
FR-2015G  
Size:200x150x215cm



Model:FG-2020G  
Size:200x200x215cm

FG - Sauna Room

FR - Far Infrared Room



Model : FR-1515L



Model: FG-1515L

Far infrared sauna used infrared light as heat energy that penetrates tissues, triggering mobilization of chemicals from fat storage, directly into perspiration. It is one of the most efficacious ways of eliminating stored toxins, increasing overall health and a strong immune system.

| Model                | Electric Power Supply |             |             | Power | Dimensions (cm) |     |     |
|----------------------|-----------------------|-------------|-------------|-------|-----------------|-----|-----|
|                      | V                     | Hz          | A           |       | L               | W   | H   |
| FR-1212G<br>FR-1212L | 110~120<br>220~240    | 60<br>50/60 | 9<br>4.5    | 1     | 120             | 120 | 215 |
| FR-1515G<br>FR-1515L | 110~120<br>220~240    | 60<br>50/60 | 11.9<br>5.9 | 1.3   | 150             | 150 | 215 |
| FR-2015G<br>FR-2015L | 110-120<br>220-240    | 60<br>50/60 | 18.1<br>9.1 | 2     | 200             | 150 | 215 |

# CLASSICAL SAUNA ROOM





Model:FG-1212  
FR-1212  
FD-1212  
Size:120x120x208cm




Model:FG-1512  
Size:150x120x208cm



Model:FG-1515  
FR-1515  
FD-1515  
Size:150x150x208cm



Model:FG-2015  
FR-2015  
FD-2015  
Size:200x150x208cm



Model:FG-2020  
FR-2020  
FD-2020  
Size:200x200x208cm



Model:FG-2025  
FR-2025  
FD-2025  
Size:200x250x208cm



Model:FG-2525  
FR-2525  
FD-2525  
Size:250x250x208cm



Model:FG-3025  
FR-3025  
FD-3025  
Size:300x250x208cm



Model:FG-3030  
Size:300x300x208cm



Model:FG-3530  
Size:350x300x208cm



Model:FG-4035  
Size:400x350x208cm

FD = FG + FR

Model: FG-1212



Model: FG-1515




Model: FG-2020




Model: FG-2525



Model: FG-3025



Model:FG-08L  
Size:228x228x250cm



Model:FG-06L  
Size:200x200x250cm




## OUTDOOR SAUNA ROOM




Model:FG-28L GY-2346  
Size:380X228X250cm

## OUTDOOR COMBINATION ROOMS


Outdoor Combination Rooms can be custom made to customer requirements, into different combined styles.



Model:FG-18L  
Size:303X228X250cm



Model:FG-28L  
Size:380X228X250cm



Model:FG-38L  
Size:457X228X250cm

# SAUNA HEATERS

# SAUNA ROOM CONTROL PANELS



Model : SS-01



Model : SS-02



Model : SS-02 x 2




## TECHNICAL SPECIFICATIONS



| Model     | Electric Power Supply |       |      | Power<br>kW | Room Volume (m³) |         | Dimensions (cm) |    |    |
|-----------|-----------------------|-------|------|-------------|------------------|---------|-----------------|----|----|
|           | V                     | Hz    | A    |             | min. m³          | max. m³ | L               | W  | H  |
| SS-01/3   | 110~120               | 60    | 19.1 | 2.1         | 2                | 4       | 32              | 20 | 45 |
|           | 220~240               | 50/60 | 13.6 | 3           |                  |         |                 |    |    |
| SS-02/4.5 | 380~416               | 50/60 | 20.5 | 4.5         | 2.5              | 6       | 45              | 33 | 50 |
| SS-02/6   | 380~416               | 50/60 | 27.3 | 6           | 4                | 8       | 45              | 33 | 50 |
| SS-02/8   | 380~416               | 50/60 | 36.4 | 8           | 6                | 12      | 45              | 33 | 50 |

Ventilation is a necessary condition for correct sauna operation.



In-built LCD Control  
Adjustable time (0-60 minutes) and temperature (70°-90°C).  
Generally for home use.



In-built LCD Control (FR Series Infrared Room)  
Adjustable time (1-60 minutes) and temperature (70°-90°C).  
Generally for home use.




In-built LCD Control  
Adjustable time (0-60 minutes) and temperature (70°-90°C).  
With MP3 music function.  
Generally for home use.



In-built LCD Control (FR Series Infrared Room)  
Adjustable time (1-60 minutes) and temperature (70°-90°C).  
With MP3 music function.  
Generally for home use.



External Digital Control  
Adjustable time (0-12 hours) and temperature (70°-90°C).  
Generally for commercial sauna rooms.



# SAUNA ACCESSORIES



Lampshade, colour matched to sauna room finish



Wooden bucket



Wooden pillow



Wooden ladle



Wooden ventilator sliding grate



Sauna stones, producing mineral steam with water



Door handle, colour matched to room finish



Wooden frame for protecting sauna heat generator



Metal finish door handle



Sand timer



Wall / ceiling speaker



Thermometer and Hygroscope combination unit



Colour light, changes colour automatically



Quartz lamp for steam room lighting





## MODEL & SIZE

| Model  | Size            | Power |
|--------|-----------------|-------|
|        | L x H x W (cm)  | kW    |
| FS-02  | 106 x 87 x 206  | 3     |
| FS-03  | 106 x 109 x 206 | 3     |
| FS-05  | 110 x 110 x 206 | 3     |
| FS-06  | 127 x 86 x 206  | 3     |
| FS-07  | 169 x 110 x 206 | 4     |
| FS-08  | 128 x 110 x 206 | 4     |
| FS-09  | 165 x 88 x 206  | 3     |
| FS-10  | 165 x 110 x 206 | 4     |
| FS-11  | 147 x 110 x 206 | 4     |
|        |                 |       |
| FS-07G | 173 x 114 x 215 | 4     |
| FS-08G | 132 x 114 x 215 | 4     |

## STEAM ROOM



Model:FS-02



Model:FS-03



Model:FS-05



Model:FS-06



Model:FS-07  
FS-07G



Model:FS-08  
FS-08G



Model:FS-09



Model:FS-10




Model:FS-11


MODEL & SIZE

| Model   | Size                | Power  |
|---------|---------------------|--------|
|         | L x H x W (cm)      |        |
| FS-4A   | 180/210 x 132 x 225 | 6      |
| FS-6A   | 180/210 x 192 x 225 | 8      |
| FS-8A   | 180/210 x 252 x 225 | 10     |
| FS-10A  | 180/210 x 312 x 225 | 12     |
| FS-12A  | 180/210 x 372 x 225 | 8 x 2  |
| FS-16A  | 210 x 493 x 228     | 10 x 2 |
| FS-6B   | 252 x 180/210 x 225 | 12     |
| FS-8B   | 312 x 180/210 x 225 | 12     |
| FS-10B  | 372 x 180/210 x 225 | 8 x 2  |
| FS-10E  | 253 x 210 x 225     | 12     |
| FS-12E  | 315 x 210 x 225     | 8 x 2  |
| FS-14E  | 376 x 210 x 225     | 8 x 2  |
| FS-16E  | 435 x 210 x 228     | 9 x 2  |
| FS-2F   | 132 x 127 x 225     | 4      |
| FS-4F   | 210 x 130 x 225     | 6      |
| FS-5F   | 148 x 148 x 225     | 6      |
| FS-6F   | 210 x 130 x 225     | 6      |
| FS-7F   | 210 x 192 x 225     | 8      |
| FS-8F   | 210 x 192 x 225     | 8      |
| FS-9F   | 210 x 253 x 225     | 12     |
| FS-10F  | 210 x 253 x 225     | 12     |
| FS-12F  | 210 x 315 x 225     | 8 x 2  |
| FS-14F  | 210 x 376 x 225     | 8 x 2  |
| FS-16F  | 210 x 438 x 225     | 9 x 2  |
| FS-7G   | 215 x 134 x 225     | 9      |
| FS-10G  | 315 x 193 x 225     | 12     |
| FS-12G  | 315 x 253 x 225     | 8 x 2  |
| FS-14G  | 315 x 315 x 225     | 10 x 2 |
| FS-16G  | 315 x 376 x 225     | 12 x 2 |
| FS-20G  | 315 x 496 x 225     | 10 x 3 |
| FS-12H  | 253 x 315 x 225     | 8 x 2  |
| FS-16H  | 376 x 315 x 225     | 12 x 2 |
| FS-18H  | 438 x 315 x 225     | 9 x 3  |
| FS-4AG  | 210 x 132 x 215     | 6      |
| FS-6AG  | 210 x 192 x 215     | 8      |
| FS-8AG  | 210 x 252 x 215     | 10     |
| FS-10AG | 210 x 312 x 215     | 12     |
| FS-12AG | 210 x 372 x 215     | 8 x 2  |
| FS-4FG  | 210 x 120 x 215     | 6      |
| FS-5FG  | 148 x 148 x 215     | 6      |
| FS-6FG  | 210 x 130 x 215     | 6      |
| FS-7FG  | 210 x 192 x 215     | 8      |
| FS-8FG  | 210 x 192 x 215     | 8      |
| FS-9FG  | 210 x 253 x 215     | 12     |
| FS-10FG | 210 x 253 x 215     | 12     |
| FS-12FG | 210 x 315 x 215     | 8 x 2  |
| FS-14FG | 210 x 376 x 215     | 8 x 2  |
| FS-16FG | 210 x 438 x 215     | 9 x 2  |


STEAM ROOM




Model:FS-4A  
FS-4AG



Model:FS-6A  
FS-6AG




Model:FS-8A  
FS-8AG




Model:FS-4FG




Model:FS-5FG




Model:FS-6FG




Model:FS-16A




Model:FS-12A  
FS-12AG




Model:FS-10A  
FS-10AG




Model:FS-7FG




Model:FS-8FG




Model:FS-9FG




Model:FS-6B




Model:FS-8B




Model:FS-10B




Model:FS-9F




Model:FS-10F




Model:FS-12F




Model:FS-10E




Model:FS-12E




Model:FS-14E




Model:FS-7G




Model:FS-12G




Model:FS-16E




Model:FS-2F




Model:FS-4F




Model:FS-10G




Model:FS-14G




Model:FS-5F




Model:FS-6F




Model:FS-7F



Model:FS-8F



Model:FS-16G



Model:FS-12H



# STEAM GENERATOR



Model : FL-510



Model : FL-518



Model : FL-509



## TECHNICAL SPECIFICATIONS

| Model     | Electric Power Supply |       |      | Power | Room Volume (m³) |           |         |              | Dimensions (cm) |    |    |
|-----------|-----------------------|-------|------|-------|------------------|-----------|---------|--------------|-----------------|----|----|
|           | V                     | Hz    | A    |       | kW               | with vent |         | without vent |                 |    |    |
|           |                       |       |      |       |                  | min. m³   | max. m³ | min. m³      | max. m³         | L  | W  |
| FL-510/3  | 220~240               | 50/60 | 13.6 | 3     | 2                | 3         | 2       | 4            | 48              | 17 | 32 |
| FL-510/4  | 220~240               | 50/60 | 18.2 | 4     | 2                | 4         | 2       | 5.5          | 48              | 17 | 32 |
| FL-518/6  | 220~240               | 50/60 | 27.3 | 6     | 3                | 8         | 4       | 15           | 59              | 22 | 38 |
|           | 380~416               |       |      |       |                  |           |         |              |                 |    |    |
| FL-518/8  | 220~240               | 50/60 | 36.4 | 8     | 3                | 12        | 10      | 20           | 59              | 22 | 38 |
|           | 380~416               |       |      |       |                  |           |         |              |                 |    |    |
| FL-509/9  | 220~240               | 50/60 | 41   | 9     | 6                | 16        | 13      | 24           | 59              | 22 | 48 |
|           | 380~416               |       |      |       |                  |           |         |              |                 |    |    |
| FL-509/10 | 220~240               | 50/60 | 45.5 | 10    | 10               | 19        | 18      | 27           | 59              | 22 | 48 |
|           | 380~416               |       |      |       |                  |           |         |              |                 |    |    |
| FL-509/12 | 220~240               | 50/60 | 54.5 | 12    | 14               | 22        | 22      | 30           | 59              | 22 | 48 |
|           | 380~416               |       |      |       |                  |           |         |              |                 |    |    |

You will love the feeling of comfort, the relaxation and clean sensation with your ultraspa steam room.

The warm soothing heat raises your body temperature and increases your heart rate, expanding capillaries, allowing increased flow of oxygen rich blood throughout your body. Skin and muscle cells regain elasticity.

Many people find that sauna and steam use help relieve mental fatigue, joint and muscle pain. Enjoy your ultraspa today, email us on: [spa@ultraeq.com](mailto:spa@ultraeq.com).

## STEAM ROOM ACCESSORIES



Essence steam outlet. Add the essence bag, and enjoy as it integrates with the steam to calm and relax you



Steam outlet. Transfer the steam into the cabin through the steam generator

For more steam accessories, please see page on Sauna Accessories.



External Digital Control  
Adjustable time (0-12 hours) and temperature (45°-58°C).  
Generally for commercial steam rooms.



In-built LCD Control  
Adjustable time (0-60 minutes) and temperature (45°-58°C).  
Generally for home use.



In-built LCD Control  
Adjustable time (0-60 minutes) and temperature (45°-58°C).  
With MP3 music function.  
Generally for home use.

## STEAM ROOM CONTROL PANELS

ultraspa  
Sauna & Steam



# ultraspa

Sauna & Steam

ULTRA EQUIPMENT  
ULTRA